

## PE/Cyanine7 anti-human CD10

Analyte Specific Reagent. Analytical and performance characteristics are not established.

Catalog# / Size 982210 / 500 μL

Clone HI10a

Workshop V CD10.7

Other Names Common acute lymphoblastic leukemia antigen (CALLA), Enkephalinase, Neutral endopeptidase,

Neprilysin

Isotype Mouse IgG1,  $\kappa$ 

Description CD10 is a 100 kD neutral endopeptidase and a member of the metalloprotease family. It is a

type II transmembrane protein also known as common acute lymphoblastic leukemia antigen (CALLA), enkephalinase, and neprilysin. CD10 is expressed on B cell precursors, T cell precursors, and neutrophils. CD10 is involved in B cell development and has been shown to bind opioid enkephalins, bradykinin, angiotensins I and II, and other biologically active

peptides

## **Product Details**

Reactivity Human

Formulation Phosphate-buffered solution, pH 7.2, containing True-Stain Monocyte Blocker™, 0.09% sodium azide

and 0.2% (w/v) BSA (origin USA).

Preparation The antibody was purified by affinity chromatography, and conjugated with PE/Cyanine7 under

optimal conditions.

 $\begin{tabular}{ll} \textbf{Concentration} & 200 \ \mu g/mL \end{tabular}$ 

Storage & Handling The antibody solution should be stored undiluted between 2°C and 8°C and protected from prolonged

exposure to light. Do not freeze.

Application Suggested for Flow Cytometry

**Disclaimer** WARNINGS AND PRECAUTIONS

1. Use appropriate personal protective equipment and safety practices per universal precautions when

working with this reagent. Refer to the reagent safety data sheet.

This antibody contains sodium azide. Follow federal, state and local regulations to dispose of this reagent. Sodium azide build-up in metal wastepipes may lead to explosive conditions; if disposing

of reagent down wastepipes, flush with water after disposal.

All specimens, samples and any material coming in contact with them should be considered potentially infectious and should be disposed of with proper precautions and in accordance with

federal, state and local regulations.


4. Do not use this reagent beyond the expiration date stated on the label.

5. Do not use this reagent if it appears cloudy or if there is any change in the appearance of the

reagent as these may be indication of possible deterioration.

Avoid prolonged exposure of the reagent or stained cells to light.

## **Product Data**



Typical results from human peripheral blood granulocytes stained either with HI10a PE/Cyanine7 used at 5 µL/test (red histogram) or with an isotype control (green histogram).

## Symbols Glossary\*

Symbol	Meaning	Symbol Title	Symbol No.	Symbol	Meaning	Symbol Title	Symbol No
REF	Catalog number	Catalogue number	5.1.6	(i	Indicates the need for the user to consult the instructions for use.	Consult instructions for use	5.4.3
X	Indicates the temperature limits to which the medical device can be safely exposed.	Temperature limit	5.3.7	漛	Indicates a medical device that needs protection from light sources.	Keep away from sunlight	5.3.2
1	Indicates the upper limit of temperature to which the medical device can be safely exposed.	temperature	5.3.6	Σ	Indicates the date after which the medical device is not to be used.	Use-by date	5.1.4
<b></b>	Indicates the medical device manufacturer.	Manufacturer	5.1.1	EC REP	Indicates the authorized representative in the European Community.	Authorized representative in the European Community	5.1.2
LOT	Indicates the manufacturer's batch code so that the batch or lot can be identified.	Batch code	5.1.5	IVD	Indicates a medical device that is intended to be used as an in vitro diagnostic medical device.	In vitro diagnostic medical device	5.5.1

<sup>\*</sup> Symbol information is from EN ISO 15223-1:2016 Medical devices – Symbols to be used with medical device labels, labelling and information to be supplied – Part 1: General requirements

Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, <a href="www.biolegend.com/ordering#license">www.biolegend.com/ordering#license</a>). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587