

Alexa Fluor® 647 anti-mouse Tim-4 Antibody

Catalog# / Size	130007 / 25 µg 130008 / 100 µg
Clone	RMT4-54
Regulatory Status	RUO
Other Names	T cell immunoglobulin and mucin domain containing protein-4
Isotype	Rat IgG2a, κ
Description	Tim-4 is a transmembrane protein known as T cell immunoglobulin and mucin domain containing protein-4. It is expressed on antigen-presenting cells and not on T cells. Tim-4 binds to Tim-1 to promote T cell proliferation by enhancing cell division and reducing apoptosis. Tim-4 bind to phosphatidylserine through its FG-CC' binding cleft in the N-terminal IgV domain to facilitate the clearance of apoptotic cells or bodies.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Rat
Immunogen	Mouse TIM4-Ig fusion protein
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor® 647 under optimal conditions.
Concentration	0.5 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤0.25 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application. * Alexa Fluor® 647 has a maximum emission of 668 nm when it is excited at 633 nm / 635 nm. Alexa Fluor® and Pacific Blue™ are trademarks of Life Technologies Corporation. View full statement regarding label licenses
Excitation Laser	Red Laser (633 nm)
Application Notes	Additional reported applications (for the relevant formats of this clone) include: <i>in vivo</i> induction of auto-antibody production ¹ and blockade of dendritic cell Tim-4 ² .
Application References	1. Nakayama M, <i>et al.</i> 2009. <i>Blood</i> . 113:3821. (FA) 2. Yeung MY, <i>et al.</i> 2013. <i>J. Immunol.</i> 191:4447. (Block)
(PubMed link indicates BioLegend citation)	
Product Citations	1. Scott CL <i>et al.</i> 2018. <i>Immunity</i> . 49(2):312-325 . PubMed 2. De Schepper S <i>et al.</i> 2018. <i>Cell</i> . 175(2):400-415 . PubMed 3. Liu Z, <i>et al.</i> 2020. <i>Cell</i> . 178(6):1509-1525.e19.. PubMed 4. Troutman TD, <i>et al.</i> 2021. <i>STAR Protocols</i> . 2(1):100363. PubMed 5. Remmerie A, <i>et al.</i> 2020. <i>Immunity</i> . 53:641. PubMed 6. Baratin M, <i>et al.</i> 2017. <i>Immunity</i> . 47:349. PubMed

7. Liu Z, *et al.* 2020. STAR Protoc. 1:100029. [PubMed](#)
8. Tran S, *et al.* 2020. Immunity. 53(3):627-640.e5. [PubMed](#)
9. Yu YR, *et al.* 2020. STAR Protocols. 11(3):e0150606. [PubMed](#)

RRID AB_2201842 (BioLegend Cat. No. 130007)
AB_2271648 (BioLegend Cat. No. 130008)

Antigen Details

Structure	Transmembrane protein containing immunoglobulin domain and mucin-like domain
Distribution	Unlike the other Tims, Tim-4 is only expressed by antigen-presenting cells, but not by T cells.
Function	Tim-4 is expressed on antigen-presenting cells. It provides co-stimulation to promote T cell proliferation and survival and has a possible role in clearance of apoptotic cells by binding phosphatidylserine.
Interaction	Phosphatidylserine is the ligand of Tim-4 and Tim-4 is a ligand of Tim-1.
Ligand/Receptor	Phosphatidylserine, TIM1
Cell Type	Antigen-presenting cells
Biology Area	Immunology
Antigen References	1. Kuchroo VK, <i>et al.</i> 2008. <i>Nat. Rev. Immunol.</i> 8:577 2. Miyanishi M, <i>et al.</i> 2007. <i>Nature</i> 450:435 3. Rodriguez-Manzanet R, <i>et al.</i> 2008. <i>J. Immunol.</i> 180:4706
Gene ID	276891


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-mouse Tim-4, PE anti-mouse Tim-4, Alexa Fluor® 647 anti-mouse Tim-4, PE/Cyanine7 anti-mouse Tim-4, TotalSeq™-A0567 anti-mouse Tim-4, Ultra-LEAF™ Purified anti-mouse Tim-4, PerCP/Cyanine5.5 anti-mouse Tim-4, TotalSeq™-C0567 anti-mouse Tim-4, TotalSeq™-B0567 anti-mouse Tim-4, APC anti-mouse Tim-4

Product Data



Balb/c mouse peritoneal macrophages stained with RMT4-54 Alexa Fluor® 647 and CD11b FITC

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587