

Alexa Fluor[®] 700 anti-human CD20 Antibody

Catalog# / Size	302322 / 100 µg
Clone	2H7
Regulatory Status	RUO
Workshop	IV B201
Other Names	B1, Bp35
Isotype	Mouse IgG2b, κ
Description	CD20 is a 33-37 kD, four transmembrane spanning protein, also known as B1 and Bp35. CD20 is expressed on pre-B-cells, resting and activated B cells (not plasma cells), some follicular dendritic cells, and at low levels on a T cell subset. CD20 is heavily phosphorylated on activated B cells and malignant B cells. Homo-oligomeric complexes of CD20 are thought to form Ca ²⁺ conductive ion channels in the plasma membrane of B cells. The CD20 molecule is involved in B-cell activation and is associated with various Src family kinases (Lyn, Lck, Fyn). It exists in a complex with MHC class I and II, CD53, CD81, and CD82.

Product Details

Verified Reactivity	Human, Cynomolgus, Rhesus
Reported Reactivity	Baboon, Capuchin Monkey, Chimpanzee, Pigtailed Macaque, Squirrel Monkey
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	Human tonsillar B cells
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor [®] 700 under optimal conditions.
Concentration	0.5 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	<p>Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The suggested use of this reagent is ≤1.0 µg per million cells in 100 µl volume. It is highly recommended that the reagent be titrated for optimal performance for each application.</p> <p>* Alexa Fluor[®] 700 has a maximum emission of 719 nm when it is excited at 633 nm / 635 nm. Prior to using Alexa Fluor[®] 700 conjugate for flow cytometric analysis, please verify your flow cytometer's capability of exciting and detecting the fluorochrome.</p> <p>Alexa Fluor[®] and Pacific Blue™ are trademarks of Life Technologies Corporation.</p> <p>View full statement regarding label licenses</p>
Excitation Laser	Red Laser (633 nm)
Application Notes	The epitope recognized by clone 2H7 has been mapped to the sequence YNCEPANPSEKNSPST which lies in the large extracellular loop of human CD20. Additional reported applications (for the relevant formats) include: immunoprecipitation ⁴ and immunohistochemical staining of acetone-fixed frozen sections ⁵ .
Application References	<ol style="list-style-type: none">Schlossman S, <i>et al.</i> 1995. Leucocyte Typing V. Oxford University Press. New York.Knapp W, <i>et al.</i> 1989. Leucocyte Typing IV. Oxford University Press. New York.
(PubMed link indicates	

- BioLegend citation)**
3. McMichael A, *et al.* Eds. 1987. Leucocyte Typing III Oxford University Press. New York.
 4. Polyak MJ, *et al.* 2002. *Blood* 99:3256. (IP)
 5. Mack CL, *et al.* 2004. *Pediatr. Res.* 56:79. (IHC)

Product Citations

1. Basu M, *et al.* 2020. *Cell Rep Med.* :1. [PubMed](#)
2. Schmitz T, *et al.* 2021. *J Reprod Immunol.* 148:103424. [PubMed](#)
3. Wang LT, *et al.* 2020. *Immunity.* 53:733. [PubMed](#)
4. Panciera T, *et al.* 2016. *Cell Stem Cell.* 19:725-737. [PubMed](#)
5. , *et al.* 2021. *Eur J Immunol.* 51:2708. [PubMed](#)
6. Sefik E, *et al.* 2021. *Nat Biotechnol.* . [PubMed](#)
7. Pandey M, *et al.* 2021. *Clin Transl Immunology.* 10:e1260. [PubMed](#)
8. Krishnan S, *et al.* 2021. *Clin Exp Immunol.* 203:458. [PubMed](#)
9. Seydoux E, *et al.* 2021. *Cell Reports.* 35(5):109084. [PubMed](#)
10. Weinfurter J, *et al.* 2011. *PLoS One.* 6:e1002381. [PubMed](#)
11. Wang C, *et al.* 2020. *Oncologist.* 25:382. [PubMed](#)
12. Harris M, *et al.* 2013. *J Virol.* 87:9353. [PubMed](#)
13. Kerkman P, *et al.* 2016. *Ann Rheum Dis.* 75: 1170 - 1176. [PubMed](#)
14. Piepenbrink M, *et al.* 2016. *PLoS One.* 11: 0158641. [PubMed](#)
15. Cytliak U, *et al.* 2020. *Immunity.* 53(2):353-370. [PubMed](#)

RRID AB_493753 (BioLegend Cat. No. 302322)

Antigen Details

Structure	Four transmembrane protein (TM4SF), heavily phosphorylated after activation, 33-37 kD
Distribution	B cell, T cell subsets
Function	B cell activation
Ligand/Receptor	Src family tyrosine kinases, MHC class I, II, CD53, CD81, CD82
Cell Type	B cells, T cells
Biology Area	Costimulatory Molecules, Immunology
Molecular Family	CD Molecules
Antigen References	<ol style="list-style-type: none">1. Hultin L, <i>et al.</i> 1993. <i>Cytometry</i> 14:196.2. Tedder T, <i>et al.</i> 1994. <i>Immunol. Today</i> 15:450.
Gene ID	931


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

APC anti-human CD20, FITC anti-human CD20, PE anti-human CD20, PE/Cyanine5 anti-human CD20, Purified anti-human CD20, APC/Cyanine7 anti-human CD20, PE/Cyanine7 anti-human CD20, Alexa Fluor® 488 anti-human CD20, Alexa Fluor® 647 anti-human CD20, Pacific Blue™ anti-human CD20, Alexa Fluor® 700 anti-human CD20, PerCP anti-human CD20, PerCP/Cyanine5.5 anti-human CD20, Brilliant Violet 421™ anti-human CD20, Brilliant Violet 570™ anti-human CD20, Brilliant Violet 605™ anti-human CD20, Brilliant Violet 650™ anti-human CD20, Brilliant Violet 785™ anti-human CD20, Brilliant Violet 510™ anti-human CD20, Brilliant Violet 711™ anti-human CD20, Purified anti-human CD20 (Maxpar® Ready), PE/Dazzle™ 594 anti-human CD20, Biotin anti-human CD20, APC/Fire™ 750 anti-human CD20, Alexa Fluor® 594 anti-human CD20, TotalSeq™-A0100 anti-human CD20, TotalSeq™-B0100 anti-human CD20, TotalSeq™-C0100 anti-human CD20, Spark NIR™ 685 anti-human CD20, Spark YG™ 593 anti-human CD20, GMP FITC anti-human CD20, TotalSeq™-D0100 anti-human CD20, GMP APC anti-human CD20

Product Data



Human peripheral blood lymphocytes were stained with anti-CD20 (clone 2H7) Alexa Fluor® 700 (filled histogram), or mouse IgG2b, κ Alexa Fluor® 700 (open histogram).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587