

APC anti-human CD66b Antibody

Catalog# / Size	305117 / 25 tests 305118 / 100 tests
Clone	G10F5
Regulatory Status	RUO
Workshop	VI MA81
Other Names	CD67, CGM6, NCA-95, CEACAM8
Isotype	Mouse IgM, κ
Description	CD66b is a 95-100 kD glycosylphosphatidylinositol (GPI)-linked protein also known as CD67, CGM6, and NCA-95. CD66b is a member of the immunoglobulin superfamily, carcinoembryonic antigen (CEA)-like subfamily. CD66b, expressed on granulocytes, has been reported to induce activation in neutrophils and to be involved in heterophilic adhesion with CD66c.

Product Details

Verified Reactivity	Human
Reported Reactivity	Chimpanzee
Antibody Type	Monoclonal
Host Species	Mouse
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
Preparation	The antibody was purified by affinity chromatography and conjugated with APC under optimal conditions.
Concentration	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our Concentration and Expiration Lookup or Certificate of Analysis online tools.)
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.
Excitation Laser	Red Laser (633 nm)
Application Notes	Additional reported applications (for the relevant formats) include: immunohistochemical staining of acetone-fixed frozen, formalin-fixed paraffin-embedded tissue sections, and spatial biology (IBEX) ^{5,6} .
Application References	<ol style="list-style-type: none"> Schlossman S, <i>et al.</i> Eds. 1995. Leucocyte Typing V. Oxford University Press. New York. Kishimoto T, <i>et al.</i> Eds. 1997. Leucocyte Typing VI. Garland Publishing Inc. London. Norling LV, <i>et al.</i> 2012. <i>Arterioscler Thromb Vasc Biol.</i> 32:1970. PubMed Meinke P, <i>et al.</i> 2015. <i>Neuroimmunol Discord.</i> 25:127. PubMed Radtke AJ, <i>et al.</i> 2020. <i>Proc Natl Acad Sci USA.</i> 117:33455-33465. (SB) PubMed Radtke AJ, <i>et al.</i> 2022. <i>Nat Protoc.</i> 17:378-401. (SB) PubMed
Product Citations	<ol style="list-style-type: none"> Nyazika TK, <i>et al.</i> 2022. <i>Front Immunol.</i> 13:992659. PubMed Zhang N, <i>et al.</i> 2022. <i>Int J Biol Sci.</i> 18:1271. PubMed Engelmann C, <i>et al.</i> 2017. <i>J Transl Med.</i> 10.1186/s12967-017-1288-3. PubMed Herter JM, <i>et al.</i> 2022. <i>Strahlenther Onkol.</i> Online ahead of print. PubMed Butler SE, <i>et al.</i> 2021. <i>Front Immunol.</i> 11:618685. PubMed Terenzi DC, <i>et al.</i> 2021. <i>STAR Protoc.</i> 2:100311. PubMed

7. Galdiero MR, *et al.* 2018. PLoS One. 13:e0199740. [PubMed](#)
8. Maheshwari D, *et al.* 2022. iScience. 25:104384. [PubMed](#)
9. Su M, *et al.* 2022. Nat Cardiovasc Res. 1:732. [PubMed](#)
10. Liu YG, *et al.* 2019. FASEB J. 33:5018. [PubMed](#)

RRID AB_2566606 (BioLegend Cat. No. 305117)
AB_2566607 (BioLegend Cat. No. 305118)

Antigen Details

Structure	Ig superfamily, CEA antigen group, GPI-linked glycoprotein, 95-100 kD
Distribution	Granulocytes
Function	Cell adhesion, neutrophil activation
Ligand/Receptor	CD66c
Cell Type	Granulocytes, Neutrophils
Biology Area	Immunology
Molecular Family	Adhesion Molecules, CD Molecules
Antigen References	1. Kuijpers T, <i>et al.</i> 1993. <i>J. Immunol.</i> 151:4934. 2. Kuroki M, <i>et al.</i> 1992. <i>J. Leuk. Biol.</i> 52:551.
Gene ID	1088


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

FITC anti-human CD66b, Purified anti-human CD66b, Pacific Blue™ anti-human CD66b, PE anti-human CD66b, PerCP/Cyanine5.5 anti-human CD66b, Alexa Fluor® 647 anti-human CD66b, Alexa Fluor® 700 anti-human CD66b, PE/Cyanine7 anti-human CD66b, APC anti-human CD66b, Biotin anti-human CD66b, PE/Dazzle™ 594 anti-human CD66b, Alexa Fluor® 594 anti-human CD66b, APC/Cyanine7 anti-human CD66b, GMP FITC anti-human CD66b

Product Data



Human peripheral blood granulocytes were stained with CD66b (clone G10F5) APC (filled histogram) or mouse IgM, κ APC isotype control (open histogram).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587