

## APC/Cyanine7 anti-human CD56 (NCAM) Antibody

<b>Catalog# / Size</b>	362511 / 25 tests 362512 / 100 tests
<b>Clone</b>	5.1H11
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	Leu-19, NKH1, NCAM-1
<b>Isotype</b>	Mouse IgG1, κ
<b>Description</b>	CD56 is a single transmembrane glycoprotein also known as NCAM (neural cell adhesion molecule), Leu-19, or NKH1. It is a member of the Ig superfamily. The 140 kD isoform is expressed on NK and NKT cells. CD56 is also expressed in the brain (cerebellum and cortex) and at neuromuscular junctions. Certain large granular lymphocyte (LGL) leukemias, small-cell lung carcinomas, neuronal derived tumors, myelomas, and myeloid leukemias also express CD56. CD56 plays a role in homophilic and heterophilic adhesion via binding to itself or heparan sulfate.

### Product Details

<b>Verified Reactivity</b>	Human
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Mouse
<b>Immunogen</b>	Human myotube cells
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with APC/Cyanine7 under optimal conditions.
<b>Concentration</b>	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our <a href="#">Concentration and Expiration Lookup</a> or <a href="#">Certificate of Analysis</a> online tools.)
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a>
<b>Recommended Usage</b>	Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a> . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.
<b>Excitation Laser</b>	Red Laser (633 nm)
<b>Additional Product Notes</b>	BioLegend is in the process of converting the name APC/Cy7 to APC/Cyanine7. The dye molecule remains the same, so you should expect the same quality and performance from our APC/Cyanine7 products. Please contact <a href="#">Technical Service</a> if you have any questions.
<b>Application References</b>	<ol style="list-style-type: none"> <li>Walsh FS, <i>et al.</i> 1981. <i>Nature</i> 289:60. (FC)</li> <li>Pavlath GK, <i>et al.</i> 1986. <i>J. Cell Biol.</i> 102:124. (FC)</li> <li>Pavlath GK, <i>et al.</i> 1989. <i>Nature</i> 337:570. (FC)</li> <li>Pulido R, <i>et al.</i> 1988. <i>J. Immunol.</i> 140:3851. (FC)</li> </ol>
<b>(PubMed link indicates BioLegend citation)</b>	
<b>Product Citations</b>	<ol style="list-style-type: none"> <li>Cao B, <i>et al.</i> 2022. <i>Nat Commun.</i> 13:6203. <a href="#">PubMed</a></li> <li>Pozzetto B, <i>et al.</i> 2021. <i>Nature.</i> 600:701. <a href="#">PubMed</a></li> <li>Witkowski M, <i>et al.</i> 2021. <i>Nature.</i> 600:295. <a href="#">PubMed</a></li> <li>Liu C, <i>et al.</i> 2021. <i>Cell Res.</i> 31:1106. <a href="#">PubMed</a></li> <li>Ollé Hurtado M, <i>et al.</i> 2019. <i>PLoS One.</i> 14:e0216373. <a href="#">PubMed</a></li> <li>Mei H, <i>et al.</i> 2021. <i>J Hematol Oncol.</i> 14:161. <a href="#">PubMed</a></li> <li>Thompson EA, <i>et al.</i> 2021. <i>Cell Rep.</i> 108863:34. <a href="#">PubMed</a></li> </ol>

8. Cho JH, *et al.* 2021. Nat Commun. 12:792. [PubMed](#)
9. Zeng Y *et al.* 2019. Immunity. 51(5):930-948 . [PubMed](#)
10. Pekayvaz K, *et al.* 2022. Nat Commun. 13:1018. [PubMed](#)

**RRID** AB\_2564084 (BioLegend Cat. No. 362511)  
 AB\_2564085 (BioLegend Cat. No. 362512)

## Antigen Details

<b>Structure</b>	Ig superfamily, single transmembrane or GPI-anchored glycoprotein
<b>Distribution</b>	NK cells, T subset, neural tissue, some LGL and myeloid leukemias
<b>Function</b>	Adhesion
<b>Ligand/Receptor</b>	Heparan sulfate
<b>Antigen References</b>	<ol style="list-style-type: none"> <li>1. Lanier L, <i>et al.</i> 1991. <i>J. Immunol.</i> 146:4421</li> <li>2. Hemperly J, <i>et al.</i> 1990. <i>J. Mol. Neurosci.</i> 2:71</li> <li>3. Cremer H, <i>et al.</i> 1994. <i>Nature</i> 367:455.</li> </ol>
<b>Gene ID</b>	<a href="#">4684</a>


## Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

## Other Formats

Purified anti-human CD56 (NCAM), APC anti-human CD56 (NCAM), PerCP/Cyanine5.5 anti-human CD56 (NCAM), PE anti-human CD56 (NCAM), PE/Cyanine7 anti-human CD56 (NCAM), APC/Cyanine7 anti-human CD56 (NCAM), PE/Cyanine5 anti-human CD56 (NCAM), Alexa Fluor® 647 anti-human CD56 (NCAM), Alexa Fluor® 488 anti-human CD56 (NCAM), Pacific Blue™ anti-human CD56 (NCAM), Alexa Fluor® 700 anti-human CD56 (NCAM), PerCP anti-human CD56 (NCAM), Brilliant Violet 650™ anti-human CD56 (NCAM), Brilliant Violet 510™ anti-human CD56 (NCAM), Brilliant Violet 421™ anti-human CD56 (NCAM), Biotin anti-human CD56 (NCAM), Brilliant Violet 605™ anti-human CD56 (NCAM), Brilliant Violet 570™ anti-human CD56 (NCAM), Brilliant Violet 711™ anti-human CD56 (NCAM), PE/Dazzle™ 594 anti-human CD56 (NCAM), FITC anti-human CD56 (NCAM), Brilliant Violet 785™ anti-human CD56 (NCAM), Ultra-LEAF™ Purified anti-human CD56 (NCAM), APC/Fire™ 750 anti-human CD56 (NCAM), Brilliant Violet 750™ anti-human CD56 (NCAM), TotalSeq™-A0047 anti-human CD56 (NCAM), TotalSeq™-C0047 anti-human CD56 (NCAM), TotalSeq™-B0047 anti-human CD56 (NCAM), Spark NIR™ 685 anti-human CD56 (NCAM), KIRAVIA Blue 520™ anti-human CD56 (NCAM), GMP PE anti-human CD56 (NCAM), TotalSeq™-D0047 anti-human CD56 (NCAM), GMP APC anti-human CD56 (NCAM)

## Product Data



Human peripheral blood lymphocytes stained with CD16 FITC and CD56 (NCAM) (clone 5.1H11) APC/Cyanine7 (left), or Mouse IgG1, κ APC/Cyanine7 isotype (right).

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587