

## PE/Dazzle™ 594 anti-human CD66b Antibody

<b>Catalog# / Size</b>	305121 / 25 tests 305122 / 100 tests
<b>Clone</b>	G10F5
<b>Regulatory Status</b>	RUO
<b>Workshop</b>	VI MA81
<b>Other Names</b>	CD67, CGM6, NCA-95, CEACAM8
<b>Isotype</b>	Mouse IgM, κ
<b>Description</b>	CD66b is a 95-100 kD glycosylphosphatidylinositol (GPI)-linked protein also known as CD67, CGM6, and NCA-95. CD66b is a member of the immunoglobulin superfamily, carcinoembryonic antigen (CEA)-like subfamily. CD66b, expressed on granulocytes, has been reported to induce activation in neutrophils and to be involved in heterophilic adhesion with CD66c.

### Product Details

---

<b>Verified Reactivity</b>	Human
<b>Reported Reactivity</b>	Chimpanzee
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Mouse
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with PE/Dazzle™ 594 under optimal conditions.
<b>Concentration</b>	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our <a href="#">Concentration and Expiration Lookup</a> or <a href="#">Certificate of Analysis</a> online tools.)
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a>
<b>Recommended Usage</b>	Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a> . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.  * PE/Dazzle™ 594 has a maximum excitation of 566 nm and a maximum emission of 610 nm.
<b>Excitation Laser</b>	Blue Laser (488 nm) Green Laser (532 nm)/Yellow-Green Laser (561 nm)
<b>Application Notes</b>	Additional reported applications (for the relevant formats) include: immunohistochemical staining of acetone-fixed frozen, formalin-fixed paraffin-embedded tissue sections, and spatial biology (IBEX) <sup>5,6</sup> .
<b>Application References</b>	<ol style="list-style-type: none"><li>Schlossman S, <i>et al.</i> Eds. 1995. Leucocyte Typing V. Oxford University Press. New York.</li><li>Kishimoto T, <i>et al.</i> Eds. 1997. Leucocyte Typing VI. Garland Publishing Inc. London.</li><li>Norling LV, <i>et al.</i> 2012. <i>Arterioscler Thromb Vasc Biol.</i> 32:1970. <a href="#">PubMed</a></li><li>Meinke P, <i>et al.</i> 2015. <i>Neuroimmunol Discord.</i> 25:127. <a href="#">PubMed</a></li><li>Radtke AJ, <i>et al.</i> 2020. <i>Proc Natl Acad Sci USA.</i> 117:33455-33465. (SB) <a href="#">PubMed</a></li><li>Radtke AJ, <i>et al.</i> 2022. <i>Nat Protoc.</i> 17:378-401. (SB) <a href="#">PubMed</a></li></ol>
<b>(PubMed link indicates BioLegend citation)</b>	
<b>RRID</b>	AB_2650717 (BioLegend Cat. No. 305121) AB_2650718 (BioLegend Cat. No. 305122)

## Antigen Details

---

<b>Structure</b>	Ig superfamily, CEA antigen group, GPI-linked glycoprotein, 95-100 kD
<b>Distribution</b>	Granulocytes
<b>Function</b>	Cell adhesion, neutrophil activation
<b>Ligand/Receptor</b>	CD66c
<b>Cell Type</b>	Granulocytes, Neutrophils
<b>Biology Area</b>	Immunology
<b>Molecular Family</b>	Adhesion Molecules, CD Molecules
<b>Antigen References</b>	1. Kuijpers T, <i>et al.</i> 1993. <i>J. Immunol.</i> 151:4934. 2. Kuroki M, <i>et al.</i> 1992. <i>J. Leuk. Biol.</i> 52:551.
<b>Gene ID</b>	<a href="#">1088</a>

## Related Protocols

---

[Cell Surface Flow Cytometry Staining Protocol](#)


## Other Formats

---

FITC anti-human CD66b, Purified anti-human CD66b, Pacific Blue™ anti-human CD66b, PE anti-human CD66b, PerCP/Cyanine5.5 anti-human CD66b, Alexa Fluor® 647 anti-human CD66b, Alexa Fluor® 700 anti-human CD66b, PE/Cyanine7 anti-human CD66b, APC anti-human CD66b, Biotin anti-human CD66b, PE/Dazzle™ 594 anti-human CD66b, Alexa Fluor® 594 anti-human CD66b, APC/Cyanine7 anti-human CD66b, GMP FITC anti-human CD66b

## Product Data

---



Human peripheral blood granulocytes were stained with CD66b (clone G10F5) PE/Dazzle™ 594 (filled histogram).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587