

## Alexa Fluor<sup>®</sup> 594 anti-mouse CD45 Antibody

<b>Catalog# / Size</b>	103144 / 100 µg
<b>Clone</b>	30-F11
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	T200, Ly-5, LCA
<b>Isotype</b>	Rat IgG2b, κ
<b>Description</b>	CD45 is a 180-240 kD glycoprotein also known as the leukocyte common antigen (LCA), T200, or Ly-5. It is a member of the protein tyrosine phosphatase (PTP) family, expressed on all hematopoietic cells except mature erythrocytes and platelets. There are different isoforms of CD45 that arise from variable splicing of exons 4, 5, and 6, which encode A, B, and C determinants, respectively. CD45 plays a key role in TCR and BCR signal transduction. These isoforms are very specific to the activation and maturation state of the cell as well as cell type. The primary ligands for CD45 are galectin-1, CD2, CD3, CD4, TCR, CD22, and Thy-1.

### Product Details

---

<b>Verified Reactivity</b>	Mouse
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Rat
<b>Immunogen</b>	Mouse thymus or spleen
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor <sup>®</sup> 594 under optimal conditions.
<b>Concentration</b>	0.5 mg/mL
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">IHC-F - Quality tested</a> <a href="#">FC, 3D IHC - Verified</a>
<b>Recommended Usage</b>	<p>Each lot of this antibody is quality control tested by immunohistochemical staining on frozen tissue sections. For immunohistochemistry, a concentration range of 1.0 - 5.0 µg/mL is suggested. For flow cytometric staining, the suggested use of this reagent is ≤ 0.25 µg per million cells in 100 µL volume. For 3D immunohistochemistry on formalin-fixed tissues, a concentration of 5.0 µg/mL is suggested. It is recommended that the reagent be titrated for optimal performance for each application.</p> <p>* Alexa Fluor<sup>®</sup> 594 has an excitation maximum of 590 nm, and a maximum emission of 617 nm.</p> <p>Alexa Fluor<sup>®</sup> and Pacific Blue™ are trademarks of Life Technologies Corporation.</p> <p><a href="#">View full statement regarding label licenses</a></p>
<b>Excitation Laser</b>	Green Laser (532 nm)/Yellow-Green Laser (561 nm)
<b>Application Notes</b>	<p>Clone 30-F11 reacts with all isoforms and both CD45.1 and CD45.2 alloantigens of CD45.</p> <p>Additional reported applications (for relevant formats) include: immunoprecipitation<sup>3</sup>, complement-dependent cytotoxicity<sup>1,5</sup>, immunohistochemistry (acetone-fixed frozen sections, zinc-fixed paraffin-embedded sections and formalin-fixed paraffin-embedded sections)<sup>4,6</sup>, Western blotting<sup>7</sup>, and spatial biology (IBEX)<sup>10,11</sup>. The Ultra-LEAF™ purified antibody (Endotoxin &lt; 0.01 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays (Cat. No. 103163 and 103164).</p>

### Application References

1. Podd BS, *et al.* 2006. *J. Immunol.* 176:6532. (FC, CMCD) [PubMed](#)

**(PubMed link indicates BioLegend citation)**

- Haynes NM, *et al.* 2007. *J. Immunol.* 179:5099. (FC)
- Ledbetter JA, *et al.* 1979. *Immunol. Rev.* 47:63. (IP)
- Simon DI, *et al.* 2000. *J. Clin. Invest.* 105:293. (IHC)
- Seaman WE. 1983. *J. Immunol.* 130:1713. (CMCD)
- Cornet A, *et al.* 2001. *P. Natl. Acad. Sci. USA* 98:13306. (IHC)
- Tsuboi S and Fukuda M. 1998. *J. Biol. Chem.* 273:30680. (WB) [PubMed](#)
- Liu F, *et al.* 2012. *Blood.* 119:3295. [PubMed](#)
- Pelletier AN, *et al.* 2012. *J. Immunol.* 188:5561. [PubMed](#)
- Radtke AJ, *et al.* 2020. *Proc Natl Acad Sci U S A.* 117:33455-65. (SB) [PubMed](#)
- Radtke AJ, *et al.* 2022. *Nat Protoc.* 17:378-401. (SB) [PubMed](#)

**Product Citations**

- Bradford BM, *et al.* 2018. *Parasite Immunol.* 40:e12566. [PubMed](#)
- Meyers CA, *et al.* 2020. *Cell Reports.* 31(8):107696. [PubMed](#)
- Kure K, *et al.* 2020. *Oncol Lett.* 19:2286. [PubMed](#)
- Grainger N, *et al.* 2020. *J Physiol.* 598:3283. [PubMed](#)
- DeDreu J, *et al.* 2022. *FASEB J.* 36:e21995. [PubMed](#)

**RRID**

AB\_2563458 (BioLegend Cat. No. 103144)

**Antigen Details**

---

<b>Structure</b>	Protein tyrosine phosphatase (PTP) family, 180-240 kD
<b>Distribution</b>	All hematopoietic cells except mature erythrocytes and platelets
<b>Function</b>	Phosphatase, T and B cell activation
<b>Ligand/Receptor</b>	Galectin-1, CD2, CD3, CD4, TCR, CD22, Thy-1
<b>Cell Type</b>	B cells, Dendritic cells, Mesenchymal Stem Cells, Tregs
<b>Biology Area</b>	Cell Biology, Immunology, Inhibitory Molecules, Innate Immunity, Neuroscience, Neuroscience Cell Markers, Stem Cells
<b>Molecular Family</b>	CD Molecules
<b>Antigen References</b>	<ol style="list-style-type: none"><li>Barclay A, <i>et al.</i> 1997. <i>The Leukocyte Antigen FactsBook</i> Academic Press.</li><li>Trowbridge IS, <i>et al.</i> 1993. <i>Annu. Rev. Immunol.</i> 12:85.</li><li>Kishihara K, <i>et al.</i> 1993. <i>Cell</i> 74:143.</li><li>Pulido R, <i>et al.</i> 1988. <i>J. Immunol.</i> 140:3851.</li></ol>
<b>Gene ID</b>	<a href="#">19264</a>

**Related Protocols**

---

[Immunohistochemistry Protocol for Frozen Sections](#)

[Cell Surface Flow Cytometry Staining Protocol](#)

[Ce3D™ Tissue Clearing Kit](#)


**Other Formats**

---


APC anti-mouse CD45, Biotin anti-mouse CD45, FITC anti-mouse CD45, PE anti-mouse CD45, PE/Cyanine5 anti-mouse CD45, Purified anti-mouse CD45, PE/Cyanine7 anti-mouse CD45, APC/Cyanine7 anti-mouse CD45, Alexa Fluor® 488 anti-mouse CD45, Alexa Fluor® 647 anti-mouse CD45, Pacific Blue™ anti-mouse CD45, Alexa Fluor® 700 anti-mouse CD45, PerCP/Cyanine5.5 anti-mouse CD45, PerCP anti-mouse CD45, Alexa Fluor® 594 anti-mouse CD45, Brilliant Violet 421™ anti-mouse CD45, Brilliant Violet 570™ anti-mouse CD45, Brilliant Violet 510™ anti-mouse CD45, Brilliant Violet 605™ anti-mouse CD45, Purified anti-mouse CD45 (Maxpar® Ready), PE/Dazzle™ 594 anti-mouse CD45, Brilliant Violet 711™ anti-mouse CD45, Brilliant Violet 785™ anti-mouse CD45, Brilliant Violet 650™ anti-mouse CD45, APC/Fire™ 750 anti-mouse CD45, Brilliant Violet 750™ anti-mouse CD45, TotalSeq™-A0096 anti-mouse CD45, TotalSeq™-B0096 anti-mouse CD45, Ultra-LEAF™ Purified anti-mouse CD45, Spark Blue™ 550 anti-mouse CD45, Spark NIR™ 685 anti-mouse CD45, TotalSeq™-C0096 anti-mouse CD45, Spark YG™ 570 anti-mouse CD45, PE/Fire™ 640 anti-mouse CD45, APC/Fire™ 810 anti-mouse CD45, PE/Fire™ 700 anti-mouse CD45, Spark Violet™ 538 anti-mouse CD45, Spark YG™ 593 anti-mouse CD45, Spark Blue™ 574 anti-mouse CD45 Antibody

**Product Data**


---



C57BL/6 mouse frozen lymph node section was fixed with 4% paraformaldehyde (PFA) for 10 minutes at room temperature and blocked with 5% FBS plus 5% rat serum, 5% mouse serum, and 5% hamster serum for 1 hour at room temperature. Then the section was stained with 2.5 µg/ml of CD45 (clone 30-F11) Alexa Fluor® 594 (red), 2.5 µg/ml of CD3 (clone 145-2c11) Alexa Fluor® 647 (green) and 2.5 µg/ml of B220 (clone RA3-6B2) Brilliant Violet 421™ (blue) overnight at 4°C. The image was captured by 10X objective.



C57BL/6 mouse splenocytes were stained with CD45 (clone 30-F11) Alexa Fluor® 594 (filled histogram). The data was acquired by BD LSRFortessa™ cell analyzer equipped with Yellow-Green Laser (561 nm).



Paraformaldehyde-fixed (4%), 500 µm-thick mouse lung section was processed according to the Ce3DTM Tissue Clearing Kit protocol (cat. no. 427701). The section was costained with anti-mouse CD326 (Ep-CAM) Antibody (Clone G8.8) Alexa Fluor® 488 at 5 µg/mL (green), anti-mouse CD45 Antibody (clone 30-F11) Alexa Fluor® 594 at 5 µg/mL (red), and anti-mouse/human CD45R/B220 Antibody (Clone RA3-6B2) Alexa Fluor® 647 at 5 µg/mL (magenta) and counterstained with DAPI (blue). The section was then optically cleared and mounted in a sample chamber. The image was captured with a 20X objective using Zeiss 780 confocal microscope and processed by Imaris image analysis software.  
[Watch the video.](#)

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
 Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587