

## Brilliant Violet 510™ anti-mouse Ly-6C Antibody

<b>Catalog# / Size</b>	128033 / 125 µL
<b>Clone</b>	HK1.4
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	Lymphocyte antigen 6 complex, locus C
<b>Isotype</b>	Rat IgG2c, κ
<b>Description</b>	Most hematopoietic cells express one or more members of Ly-6 family. The expression of Ly-6 varies with development stage and activation. Ly-6C is a 14-17 kD GPI-linked surface protein expressed on mouse monocyte/macrophage cells, endothelial cells, neutrophils, and some T cell subsets. Ly-6C is reported to be an indicator of memory CD8 <sup>+</sup> T cells.

### Product Details

---

<b>Verified Reactivity</b>	Mouse
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Rat
<b>Immunogen</b>	L3 cloned CTL cells
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 510™ under optimal conditions.
<b>Concentration</b>	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our <a href="#">Concentration and Expiration Lookup</a> or <a href="#">Certificate of Analysis</a> online tools.)
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a>
<b>Recommended Usage</b>	<p>Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a>. For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.</p> <p>Brilliant Violet 510™ excites at 405 nm and emits at 510 nm. The bandpass filter 510/50 nm is recommended for detection, although filter optimization may be required depending on other fluorophores used. <b>Be sure to verify that your cytometer configuration and software setup are appropriate for detecting this channel.</b> Refer to your instrument manual or manufacturer for support. Brilliant Violet 510™ is a trademark of Sirigen Group Ltd.</p> <p><a href="#">Learn more about Brilliant Violet™.</a></p> <p>This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.</p>
<b>Excitation Laser</b>	Violet Laser (405 nm)
<b>Application Notes</b>	<p>Clone HK1.4 does not block the binding of clone RB6-8C5<sup>8</sup>.</p> <p>Additional reported applications (for relevant formats of this clone) include: <i>in vitro</i> activation of T cells<sup>1-3</sup> and immunohistochemistry of frozen sections<sup>4</sup>.</p>
<b>Application References</b>	

(PubMed link indicates  
BioLegend citation)

1. Jutila MA, *et al.* 1988. *Eur. J. Immunol.* 18:1819. (Activ)
2. Herold KC, *et al.* 1990. *Diabetes* 39:815. (Activ)
3. Havran WL, *et al.* 1988. *J. Immunol.* 140:1034 (Activ)
4. Flanagan K, *et al.* 2008. *J. Immunol.* 180:3874. (IHC)
5. Makaroff LE, *et al.* 2009. *P. Natl. Acad. Sci. USA* 106:4799. (FC)
6. Zuber J, *et al.* 2009. *Genes Dev.* 23:877. (FC) [PubMed](#)
7. Ribechini E, *et al.* 2009. *Eur. J. Immunol.* 39:3538.
8. Ma C, *et al.* 2012. *J. Leukoc. Biol.* 92:1199.
9. Watson NB, *et al.* 2015. *J Immunol.* 194:2796. [PubMed](#)

#### Product Citations

1. Ma J, *et al.* 2020. *Adv Sci (Weinh).* 7:2000609. [PubMed](#)
2. Wiesner DL, *et al.* 2020. *Cell Host Microbe.* 614:27. [PubMed](#)
3. Carvelli J, *et al.* 2020. *Nature.* 588:146. [PubMed](#)
4. Schmidleithner L *et al.* 2019. *Immunity.* 50(5):1232-1248 . [PubMed](#)
5. Brestoff JR, *et al.* 2021. *Cell Metab.* 33:270. [PubMed](#)
6. Schiller M, *et al.* 2021. *Immunity.* 54(5):1022-1036.e8. [PubMed](#)
7. Webster HC, *et al.* 2020. *J Immunol Methods.* 112702:477. [PubMed](#)
8. Francian A, *et al.* 2021. *J Drug Target.* 29:754. [PubMed](#)
9. Liu Y, *et al.* 2022. *Nat Commun.* 13:2665. [PubMed](#)
10. Privratsky JR, *et al.* 2018. *Am J Physiol Renal Physiol.* 315:F682. [PubMed](#)
11. Fantauzzi MF, *et al.* 2021. *ERJ Open Res.* 7: . [PubMed](#)
12. Sutherland TE, *et al.* 2021. *Frontiers in Immunology.* 12:715209. [PubMed](#)
13. Leylek R, *et al.* 2019. *Cell Rep.* 29:3736. [PubMed](#)
14. Patel S, *et al.* 2019. *Viruses.* 0.877083333. [PubMed](#)
15. Lang V, *et al.* 2021. *Elife.* 10: . [PubMed](#)
16. Anderson AE, *et al.* 2022. *NPJ Regen Med.* 7:6. [PubMed](#)
17. Henrich IC, *et al.* 2021. *Cancer Res.* 81:2171. [PubMed](#)
18. Oguri Y, *et al.* 2020. *Cell.* 182(3):563-577.e20. [PubMed](#)
19. Liyanage S, *et al.* 2016. *Exp Eye Res.* 151:160-70. [PubMed](#)
20. Fujii T, *et al.* 2021. *Bone Res.* 9:4. [PubMed](#)
21. Kullberg M, *et al.* 2015. *Nanomedicine.* 11: 1355-1363. [PubMed](#)
22. Youshani AS, *et al.* 2019. *J Neuroinflammation.* 16:25. [PubMed](#)
23. Ledo JH, *et al.* 2020. *PLoS One.* e0237773:15. [PubMed](#)
24. Mihalik NE, *et al.* 2021. *AAPS PharmSciTech.* 22:191. [PubMed](#)
25. Sheikh AA, *et al.* 2019. *Cell Rep.* 28:1758. [PubMed](#)
26. Gardner P, *et al.* 2017. *Sci Rep.* 7:40830. [PubMed](#)
27. Sparber F, *et al.* 2019. *Cell Host Microbe.* 25:389. [PubMed](#)
28. Saber M, *et al.* 2020. *Eur J Neurosci.* 52:2791. [PubMed](#)
29. Silva HM, *et al.* 2019. *J Exp Med.* 216:786. [PubMed](#)
30. Zhu Y *et al.* 2017. *The Journal of Neuroscience.* 37(9):2362-2376 . [PubMed](#)
31. Saber M, *et al.* 2021. *J Neurotrauma.* 38:2862. [PubMed](#)
32. Zhang L, *et al.* 2021. *Mol Ther.* 29:744. [PubMed](#)
33. Ledo JH, *et al.* 2020. *Mol Psychiatry.* . [PubMed](#)
34. Bae S, *et al.* 2021. *Cell Reports.* 35(11):109264. [PubMed](#)
35. Park CJ, *et al.* 2020. *Cell Reports.* 31(2):107496.. [PubMed](#)

RRID

AB\_2562351 (BioLegend Cat. No. 128033)

## Antigen Details

---

#### Structure

14-17 kD protein (134 amino acids), member of the Ly-6 family of GPI linked protein. Ly6 family members share structure homology throughout a distinctive cysteine rich protein domain that incorporates O-linked carbohydrates.

#### Distribution

Ly-6C is expressed primarily on bone marrow myeloid populations, monocytes/macrophages, neutrophils, endothelial cells, and some T cell subsets. Ly-6C is also a marker of memory CD8<sup>+</sup> T cells.

#### Cell Type

Endothelial cells, Macrophages, Monocytes, Neutrophils, T cells

#### Biology Area

Immunology

#### Molecular Family

CD Molecules

#### Antigen References

1. Jutila MA, *et al.* 1988. *Eur. J. Immunol.* 18:1819.
2. Cerwenka A, *et al.* 1998. *J. Immunol.* 161:97.

Gene ID

[17067](#)


## Related Protocols

---

## Other Formats

Pacific Blue™ anti-mouse Ly-6C, APC anti-mouse Ly-6C, Purified anti-mouse Ly-6C, Biotin anti-mouse Ly-6C, FITC anti-mouse Ly-6C, Alexa Fluor® 647 anti-mouse Ly-6C, PE anti-mouse Ly-6C, PerCP/Cyanine5.5 anti-mouse Ly-6C, PE/Cyanine7 anti-mouse Ly-6C, Alexa Fluor® 488 anti-mouse Ly-6C, Alexa Fluor® 700 anti-mouse Ly-6C, APC/Cyanine7 anti-mouse Ly-6C, PerCP anti-mouse Ly-6C, Brilliant Violet 570™ anti-mouse Ly-6C, Brilliant Violet 421™ anti-mouse Ly-6C, Brilliant Violet 510™ anti-mouse Ly-6C, Brilliant Violet 605™ anti-mouse Ly-6C, Brilliant Violet 711™ anti-mouse Ly-6C, Purified anti-mouse Ly-6C (Maxpar® Ready), Brilliant Violet 785™ anti-mouse Ly-6C, PE/Dazzle™ 594 anti-mouse Ly-6C, APC/Fire™ 750 anti-mouse Ly-6C, TotalSeq™-A0013 anti-mouse Ly-6C, Brilliant Violet 650™ anti-mouse Ly-6C, TotalSeq™-C0013 anti-mouse Ly-6C, TotalSeq™-B0013 anti-mouse Ly-6C, APC/Fire™ 810 anti-mouse Ly-6C Antibody

## Product Data



C57BL/6 mouse bone marrow cells were stained with Ly-6C (clone HK1.4) Brilliant Violet 510™ (filled histogram). Open histogram represents non-stained cells. Data shown was gated on the myeloid population.

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587