

Purified anti-human TSLP Antibody

Catalog# / Size	512102 / 500 µg
Clone	13H8.3
Regulatory Status	RUO
Other Names	Thymic stromal derived lymphopoietin
Isotype	Mouse IgG1, κ
Description	<p>Thymic Stromal Lymphopoietin (TSLP) is a hemopoietic protein that is expressed in the heart, liver and prostate. TSLP overlaps biological activities with IL-7 and binds with the heterodimeric receptor complex consisting of the IL-7R alpha chain (IL-7Rα) and the TSLP-specific chain (TSLPR). Like IL-7, TSLP induces phosphorylation of STAT3 and STAT5, but uses kinases other than the JAKs for activation. TSLP prohibited apoptosis and stimulated growth of the human acute myeloid leukemia (AML)-derived cell line MUTZ3. It induces the release of T cell-attracting chemokines TARC and MDC from monocytes and activates CD11c(+) dendritic cells (DCs). TSLP activated DCs primed naïve T cells to produce the proallergic cytokines (IL-4, IL-5, IL-13, TNFα) while down-regulating IL-10 and IFN-γ suggesting a role in initiating allergic inflammation. Recent studies revealed that expression of TSLP has a direct link to the pathogenesis of allergic inflammation such as atopic dermatitis and asthma via activating dendritic cells and mast cells which trigger inflammatory Th2 response characterized by high TNF-alpha and little IL-10 production.</p>

Product Details

Verified Reactivity	Human
Antibody Type	Monoclonal
Host Species	Mouse
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography.
Concentration	0.5 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C.
Application	ELISA
Recommended Usage	Each lot of this antibody is quality control tested by ELISA assay . For use as an ELISA detection antibody, a concentration range of 0.5-2 µg/ml is recommended. To obtain a linear standard curve, serial dilutions of TSLP recombinant protein ranging from 200 to 3.1 ng/ml are recommended for each ELISA plate. It is recommended that the reagent be titrated for optimal performance for each application.
RRID	AB_940339 (BioLegend Cat. No. 512102)

Antigen Details

Biology Area	Immunology
Molecular Family	Cytokines/Chemokines
Antigen References	<ol style="list-style-type: none">Liu YJ. 2007. J Allergy Clin Immunol. 120:238. Nagata Y. 2007 Int Arch Allergy Immunol. 144:305.Jiang Q, <i>et al.</i> 2007 BMC Immunol. 8:11.Kato A. <i>et al.</i> 2007. J Immunol. 179:1080.Rochman I, <i>et al.</i> 2007 J Immunol. 178(11):6720.Reche PA, <i>et al.</i> 2001. J Immunol. 167:336.Pandey A, <i>et al.</i> 2000. Nature Immunol. 1:59.

7. Park LS, *et al.* 2000. J Exp. Med. 192:659.

Gene ID

[85480](#)

Related Protocols

[Sandwich ELISA Protocol](#)

Other Formats

Purified anti-human TSLP

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587