

## APC/Cyanine7 anti-human CD3 Antibody

<b>Catalog# / Size</b>	344817 / 25 tests 344818 / 100 tests
<b>Clone</b>	SK7
<b>Regulatory Status</b>	RUO
<b>Workshop</b>	HCDM listed
<b>Other Names</b>	T3, CD3ε
<b>Isotype</b>	Mouse IgG1, κ
<b>Description</b>	CD3ε is a 20 kD chain of the CD3/T-cell receptor (TCR) complex, which is composed of two CD3ε, one CD3γ, one CD3δ, one CD3ζ (CD247), and a T-cell receptor (α/β or γ/δ) heterodimer. It is found on all mature T cells, NK T cells, and some thymocytes. CD3, also known as T3, is a member of the immunoglobulin superfamily that plays a role in antigen recognition, signal transduction, and T cell activation.

### Product Details

<b>Verified Reactivity</b>	Human
<b>Reported Reactivity</b>	Chimpanzee
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Mouse
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
<b>Preparation</b>	The antibody was purified by affinity chromatography, and conjugated with APC/Cyanine7 under optimal conditions.
<b>Concentration</b>	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our <a href="#">Concentration and Expiration Lookup</a> or <a href="#">Certificate of Analysis</a> online tools.)
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a>
<b>Recommended Usage</b>	Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a> . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.
<b>Excitation Laser</b>	Red Laser (633 nm)
<b>Application Notes</b>	Additional reported application (for the relevant formats) include: immunohistochemical staining of frozen tissue sections <sup>4,5,8</sup> , immunofluorescent staining <sup>6</sup> , and Western blotting <sup>3</sup> .
<b>Additional Product Notes</b>	BioLegend is in the process of converting the name APC/Cy7 to APC/Cyanine7. The dye molecule remains the same, so you should expect the same quality and performance from our APC/Cyanine7 products. Please contact <a href="#">Technical Service</a> if you have any questions.
<b>Application References</b>	<ol style="list-style-type: none"> <li>1. Kan EA, <i>et al.</i> 1983. <i>J. Immunol.</i> 131:536.</li> <li>2. Wood GS, <i>et al.</i> 1985. <i>Am. J. Pathol.</i> 120:371.</li> <li>3. Van Dongen JJM, <i>et al.</i> 1988. <i>Blood</i> 71:603. (WB)</li> <li>4. Haringman JJ, <i>et al.</i> 2005. <i>Arthritis Res. Ther.</i> 7:R862. (IHC)</li> <li>5. Carbone A, <i>et al.</i> 1999. <i>Blood</i> 93:2319. (IHC)</li> <li>6. Goval JJ, <i>et al.</i> 2006. <i>J. Histochem. Cytochem.</i> 54:75. (IF)</li> <li>7. Rutjens E, <i>et al.</i> 2007. <i>J. Immunol.</i> 178:1702.</li> <li>8. Kap Y, <i>et al.</i> 2009. <i>J. Histochem. Cytochem.</i> 57:1159. (IHC)</li> <li>9. Yoshino N, <i>et al.</i> 2000. <i>Exp. Anim. (Tokyo)</i> 49:97. (FC)</li> </ol>
<b>(PubMed link indicates BioLegend citation)</b>	

## Product Citations

1. Calabrese DR, *et al.* 2020. J Clin Invest. . [PubMed](#)
2. Muliaditan T, *et al.* 2021. Cell Rep Med. 2:100457. [PubMed](#)
3. Marques RM, *et al.* 2021. Cell Death Differ. 28:3140. [PubMed](#)
4. Turner JA, *et al.* 2020. Immunity. 53:1202. [PubMed](#)
5. Kagoya Y, *et al.* 2018. Nat Commun. 9:1915. [PubMed](#)
6. Neidleman J, *et al.* 2020. Cell Rep Med. 100081:1. [PubMed](#)
7. Beatson RE, *et al.* 2021. Cell Rep Med. 2:100473. [PubMed](#)
8. Guerrero A, *et al.* 2022. Nat Aging. 2:851. [PubMed](#)
9. Zhang B, *et al.* 2021. Nat Biomed Eng. 5:1288. [PubMed](#)
10. Thompson EA, *et al.* 2021. Cell Rep. 108863:34. [PubMed](#)
11. Batikan O, *et al.* 2022. J Coll Physicians Surg Pak. 32:1004. [PubMed](#)
12. Chao Y, *et al.* 2014. J Leukoc Biol. 96:1037. [PubMed](#)
13. Graham C, *et al.* 2021. Immunity. 54(6):1276-1289.e6. [PubMed](#)
14. Christiansen M, *et al.* 2020. Front Immunol. 10:3022. [PubMed](#)
15. Egedal JH, *et al.* 2021. Mucosal Immunol. 14:1203. [PubMed](#)
16. Xie G, *et al.* 2021. Cell Reports. 35(4):109038. [PubMed](#)
17. Salazar-Camarena DC, *et al.* 2020. Sci Rep. 10:6236. [PubMed](#)
18. Mackroth M, *et al.* 2016. PLoS Pathog. 12:e1005909. [PubMed](#)
19. Mothe B, *et al.* 2020. Front Immunol. 1.029861111. [PubMed](#)
20. Tang X, *et al.* 2020. Sci Adv. 6:eaaz0374. [PubMed](#)
21. Yamaguchi K, *et al.* 2018. Cancer Sci. 109:3032. [PubMed](#)

## RRID

AB\_10644011 (BioLegend Cat. No. 344817)  
AB\_10645474 (BioLegend Cat. No. 344818)

## Antigen Details

---

<b>Structure</b>	Ig superfamily, with the subunits of CD3 $\gamma$ , CD3 $\delta$ , CD3 $\zeta$ , (CD247) and TCR ( $\alpha/\beta$ or $\gamma/\delta$ ) forms CD3/TCR complex, 20 kD
<b>Distribution</b>	Mature T and NK T cells, during thymocyte differentiation
<b>Function</b>	Antigen recognition, signal transduction, T cell activation
<b>Ligand/Receptor</b>	Peptide antigen bound to MHC
<b>Cell Type</b>	NKT cells, T cells, Tregs
<b>Biology Area</b>	Immunology, Innate Immunity
<b>Molecular Family</b>	CD Molecules, TCRs
<b>Antigen References</b>	<ol style="list-style-type: none"><li>1. Barclay N, <i>et al.</i> 1993. The Leucocyte FactsBook. Academic Press. San Diego.</li><li>2. Beverly P, <i>et al.</i> 1981. <i>Eur. J. Immunol.</i> 11:329.</li><li>3. Lanier L, <i>et al.</i> 1986. <i>J. Immunol.</i> 137:2501.</li></ol>
<b>Gene ID</b>	<a href="#">916</a>

## Related Protocols

---

[Cell Surface Flow Cytometry Staining Protocol](#)


## Other Formats

---

APC/Fire™ 750 anti-human CD3, Biotin anti-human CD3, Purified anti-human CD3, FITC anti-human CD3, PE anti-human CD3, Alexa Fluor® 488 anti-human CD3, APC anti-human CD3, PerCP/Cyanine5.5 anti-human CD3, PerCP anti-human CD3, PE/Cyanine7 anti-human CD3, APC/Cyanine7 anti-human CD3, Alexa Fluor® 700 anti-human CD3, Pacific Blue™ anti-human CD3, Alexa Fluor® 647 anti-human CD3, Brilliant Violet 510™ anti-human CD3, Brilliant Violet 421™ anti-human CD3, Brilliant Violet 605™ anti-human CD3, Brilliant Violet 711™ anti-human CD3, Brilliant Violet 785™ anti-human CD3, PE/Dazzle™ 594 anti-human CD3, Brilliant Violet 750™ anti-human CD3, TotalSeq™-A0049 anti-human CD3, TotalSeq™-C0049 anti-human CD3, Spark Blue™ 550 anti-human CD3, TotalSeq™-B0049 anti-human CD3, Alexa Fluor® 660 anti-human CD3, APC/Fire™ 810 anti-human CD3, Spark NIR™ 685 anti-human CD3, PE/Fire™ 640 anti-human CD3, PE/Fire™ 700 anti-human CD3, GMP FITC anti-human CD3, PE/Cyanine5 anti-human CD3 Antibody, GMP PE anti-human CD3, GMP APC anti-human CD3, GMP PerCP/Cyanine5.5 anti-human CD3, Spark YG™ 593 anti-human CD3, GMP PerCP anti-human CD3, Spark Violet™ 500 anti-human CD3

## Product Data

---



Human peripheral blood lymphocytes were stained with CD3 (clone SK7) APC/Cyanine7 (filled histogram) or mouse IgG1, ? APC/Cyanine7 isotype control (open histogram)

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587