

FITC anti-mouse CD5 Antibody

Catalog# / Size	100605 / 50 µg 100606 / 500 µg
Clone	53-7.3
Regulatory Status	RUO
Other Names	Lyt-1, Ly-1, T1, Tp67, Ly-12
Isotype	Rat IgG2a, κ
Description	CD5 is a 67 kD protein, also known as Lyt-1, Ly-1, T1, Tp67, or Ly-12. It is a member of the scavenger receptor cysteine-rich protein superfamily (SRCR) and primarily expressed on thymocytes, T cells, and B-1 cells. Although mature α/β T cells express high levels of CD5, very few γ/δ T cells express this antigen. The interaction of CD5 with CD72, gp35-37, TCR, or BCR is involved in T and B cell activation.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Rat
Immunogen	Mouse thymus or spleen
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography, and conjugated with FITC under optimal conditions.
Concentration	0.5 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤1.0 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.
Excitation Laser	Blue Laser (488 nm)
Application Notes	Additional reported applications (for the relevant formats) include: immunoprecipitation ¹ , and immunohistochemistry ² of acetone-fixed frozen tissue sections, zinc-fixed paraffin-embedded sections and formalin-fixed paraffin-embedded sections.
Application References	<ol style="list-style-type: none"> 1. Ledbetter JA, <i>et al.</i> 1979. <i>Immunol. Rev.</i> 47:63. (IP) 2. Ledbetter JA, <i>et al.</i> 1980. <i>J. Exp. Med.</i> 152:280. (FC, IHC) 3. Bourdeau A, <i>et al.</i> 2007. <i>Blood</i> doi:10.1182/blood-2006-08-044370.
(PubMed link indicates BioLegend citation)	
Product Citations	<ol style="list-style-type: none"> 1. Huang Z <i>et al.</i> 2017. <i>Cell metabolism.</i> 26(3):493-508 . PubMed 2. Alotaibi F, <i>et al.</i> 2021. <i>Front Immunol.</i> 11:584937. PubMed 3. Lutes LK, <i>et al.</i> 2021. <i>eLife.</i> 10:00. PubMed 4. Ganeshan K <i>et al.</i> 2019. <i>Cell.</i> 177(2):399-413 . PubMed 5. Solanki A, <i>et al.</i> 2018. <i>Development.</i> 145. PubMed 6. Comazetto S <i>et al.</i> 2018. <i>Cell stem cell.</i> 24(3):477-486 . PubMed 7. Mues M, <i>et al.</i> 2019. <i>Cell Rep.</i> 27:631. PubMed 8. Kruta M, <i>et al.</i> 2021. <i>Cell Stem Cell.</i> .: PubMed 9. Ishikawa E, <i>et al.</i> 2016. <i>Nat Commun.</i> 7: 12756. PubMed 10. Kondo M, <i>et al.</i> 2016. <i>J Immunol.</i> 196: 563 - 572. PubMed

11. Shiozawa S, *et al.* 2022. *iScience*. 25:103537. [PubMed](#)
12. Nowlan B, *et al.* 2019. *Haematologica*. 105:71. [PubMed](#)
13. Vacca F, *et al.* 2020. *eLife*. 9:e54017. [PubMed](#)
14. Baomei Wang *et al.* 2019. *Cell reports*. 26(6):1614-1626 . [PubMed](#)
15. Adachi Y, *et al.* 2019. *Nat Commun*. 10:3883. [PubMed](#)
16. Yin S *et al.* 2019. *Cancer cell*. 35(2):283-296 . [PubMed](#)
17. Chen C, *et al.* 2020. *Cell Rep*. 2136:30. [PubMed](#)
18. Clemente–Casares X, *et al.* 2017. *Immunity*. 47:974. [PubMed](#)
19. Magee JA, *et al.* 2021. *Stem Cell Reports*. 16:20. [PubMed](#)
20. DeVilbiss AW, *et al.* 2021. *eLife*. 10:00. [PubMed](#)
21. Li K, *et al.* 2020. *Nat Commun*. 0.795138889. [PubMed](#)
22. Hidalgo San Jose L, *et al.* 2020. *Cell Rep*. 30:69. [PubMed](#)
23. Goldberg EL, *et al.* 2021. *Cell Metabolism*. . [PubMed](#)
24. Campbell J, *et al.* 2010. *J Immunol*. 185:28:00. [PubMed](#)
25. Gu Z, *et al.* 2021. *Nat Genet*. 53:672. [PubMed](#)
26. Deniset JF *et al.* 2019. *Immunity*. 51(1):131-140 . [PubMed](#)

RRID AB_312734 (BioLegend Cat. No. 100605)
 AB_312735 (BioLegend Cat. No. 100606)

Antigen Details

Structure	Member of the scavenger receptor cysteine-rich protein superfamily (SRCR), 67 kD
Distribution	Thymocytes, T cells, B-1 cells
Function	Negative regulator of T-B cell interaction
Ligand/Receptor	CD72, gp35-37
Cell Type	B cells, T cells, Thymocytes
Biology Area	Costimulatory Molecules, Immunology
Molecular Family	CD Molecules
Antigen References	<ol style="list-style-type: none"> 1. Barclay A, <i>et al.</i> 1997. <i>The Leukocyte Antigen FactsBook</i> Academic Press. 2. Kipps TJ. 1988. <i>Adv. Immunol</i>. 47:117. 3. Antin JH, <i>et al.</i> 1985. <i>J. Immunol</i>. 136:505. 4. Tarakhovsky A, <i>et al.</i> 1995. <i>Science</i> 269:535.
Gene ID	12507

Related Protocols


[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Biotin anti-mouse CD5, FITC anti-mouse CD5, PE anti-mouse CD5, PE/Cyanine5 anti-mouse CD5, Purified anti-mouse CD5, Brilliant Violet 510™ anti-mouse CD5, Alexa Fluor® 488 anti-mouse CD5, Alexa Fluor® 647 anti-mouse CD5, PerCP anti-mouse CD5, Brilliant Violet 421™ anti-mouse CD5, PE/Cyanine7 anti-mouse CD5, Purified anti-mouse CD5 (Maxpar® Ready), PerCP/Cyanine5.5 anti-mouse CD5, APC anti-mouse CD5, Alexa Fluor® 594 anti-mouse CD5, APC/Fire™ 750 anti-mouse CD5, Alexa Fluor® 700 anti-mouse CD5, TotalSeq™-A0111 anti-mouse CD5, Brilliant Violet 711™ anti-mouse CD5, Pacific Blue™ anti-mouse CD5, PE/Dazzle™ 594 anti-mouse CD5, TotalSeq™-B0111 anti-mouse CD5, TotalSeq™-C0111 anti-mouse CD5, APC/Cyanine7 anti-mouse CD5

Product Data

C57BL/6 mouse splenocytes stained
with 53-7.3 FITC



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587