

PE anti-mouse CD117 (c-Kit) Antibody

Catalog# / Size	105807 / 50 µg 105808 / 200 µg
Clone	2B8
Regulatory Status	RUO
Other Names	c-KIT, Stem Cell Factor Receptor (SCFR)
Isotype	Rat IgG2b, κ
Description	CD117 is a 145 kD immunoglobulin superfamily member also known as c-Kit and stem cell factor receptor (SCFR). It is a transmembrane tyrosine-kinase receptor that binds the c-Kit ligand (also known as steel factor, stem cell factor, and mast cell growth factor). CD117 is expressed on hematopoietic stem cells (including multipotent hematopoietic stem cells, progenitors committed to myeloid and/or erythroid lineages, and T and B cell precursors), mast cells, and acute myeloid leukemia (AML) cells. CD117 interaction with its ligand is critical for the development of hematopoietic stem cells.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Rat
Immunogen	Mouse bone marrow mast cells
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography, and conjugated with PE under optimal conditions.
Concentration	0.2 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤0.06 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.
Excitation Laser	Blue Laser (488 nm) Green Laser (532 nm)/Yellow-Green Laser (561 nm)
Application Notes	Additional reported applications (for the relevant formats) include: immunoprecipitation ¹ , immunohistochemistry of acetone fixed frozen sections ² , and spatial biology (IBEX) ^{5,6} . The 2B8 antibody does not block c-Kit activity.
Application References (PubMed link indicates BioLegend citation)	<ol style="list-style-type: none"> Ikuta K, <i>et al.</i> 1992. <i>P. Natl. Acad. Sci. USA</i> 89:1502. (FC) Podd BS, <i>et al.</i> 2006. <i>J. Immunol.</i> 176:6532. PubMed (IHC) Bachelet I, <i>et al.</i> 2008. <i>J. Immunol.</i> 180:6064. PubMed (FC) Charles N, <i>et al.</i> 2010. <i>Nat. Med.</i> 16:701. PubMed (FC) Radtke AJ, <i>et al.</i> 2020. <i>Proc Natl Acad Sci U S A.</i> 117:33455-65. (SB) PubMed Radtke AJ, <i>et al.</i> 2022. <i>Nat Protoc.</i> 17:378-401. (SB) PubMed
Product Citations	<ol style="list-style-type: none"> Casellas Roman HL, <i>et al.</i> 2020. <i>Leuk Res.</i> 94:106372. PubMed Sandovici I, <i>et al.</i> 2022. <i>Dev Cell.</i> 57:63. PubMed Chung Y, <i>et al.</i> 2014. <i>J Vis Exp.</i> 89: 51660. PubMed Schönberger K, <i>et al.</i> 2022. <i>Cell Stem Cell.</i> 29:131. PubMed

5. Groenen AG, *et al.* 2022. *J Lipid Res.* 63:100167. [PubMed](#)
6. Sharma GP, *et al.* 2021. *PLoS One.* 16:e0259042. [PubMed](#)
7. Viny AD, *et al.* 2019. *Cell Stem Cell.* 25:682. [PubMed](#)
8. Mitroulis I *et al.* 2018. *Cell.* 172(1-2):147-161 . [PubMed](#)
9. Nguyen N, *et al.* 2022. *iScience.* 25:103679. [PubMed](#)
10. Sykes DB *et al.* 2016. *Cell.* 167(1):171-186 . [PubMed](#)
11. Kakiuchi K, *et al.* 2014. *Biol Reprod.* 90:82. [PubMed](#)
12. Zong L, *et al.* 2021. *NPJ Aging Mech Dis.* 7:25. [PubMed](#)
13. Schmitt M *et al.* 2018. *Cell reports.* 24(9):2312-2328 . [PubMed](#)
14. Tamura M, *et al.* 2019. *Sci Rep.* 9:8171. [PubMed](#)
15. Klimovich B, *et al.* 2022. *J Exp Clin Cancer Res.* 41:80. [PubMed](#)
16. Kunimoto H, *et al.* 2018. *Cancer Cell.* 33:44. [PubMed](#)
17. Shimokawa C *et al.* 2017. *Immunity.* 46(5):863-874 . [PubMed](#)
18. Svahn S, *et al.* 2015. *Infect Immun.* 83:514. [PubMed](#)
19. Wu L, *et al.* 2022. *Theranostics.* 12:842. [PubMed](#)
20. Nakano N, *et al.* 2011. *J Biol Chem.* 286:12042. [PubMed](#)
21. Kleppe M *et al.* 2018. *Cancer cell.* 33(1):29-43 . [PubMed](#)
22. Kawakami R, *et al.* 2021. *Immunity.* 54(5):947-961.e8. [PubMed](#)
23. Derecka M, *et al.* 2020. *Nat Immunol.* 26:21. [PubMed](#)
24. Liu T, *et al.* 2022. *Front Immunol.* 13:901349. [PubMed](#)
25. Cho K, *et al.* 2021. *iScience.* 24:103117. [PubMed](#)
26. Qian J, *et al.* 2021. *Int J Mol Sci.* 22:. [PubMed](#)
27. Yang T, *et al.* 2022. *Nat Commun.* 13:4464. [PubMed](#)
28. Ding P, *et al.* 2022. *Bone Res.* 10:42. [PubMed](#)
29. Zhou J, *et al.* 2019. *Nat Commun.* 10:2427. [PubMed](#)
30. Svahn S, *et al.* 2016. *Infect Immun.* 84: 1205-1213. [PubMed](#)
31. Pervolarakis N, *et al.* 2020. *Cell Rep.* 108273:33. [PubMed](#)
32. Quick M, *et al.* 2012. *Am J Physiol Regul Integr Comp Physiol.* 303:580. [PubMed](#)
33. Schönberger K, *et al.* 2022. *STAR Protoc.* 3:101408. [PubMed](#)
34. Bennett FC, *et al.* 2018. *Neuron.* 98:1170. [PubMed](#)
35. Zhu YP *et al.* 2018. *Cell reports.* 24(9):2329-2341 . [PubMed](#)
36. Grainger N, *et al.* 2020. *J Physiol.* 598:3283. [PubMed](#)
37. Shu Z, *et al.* 2020. *Mar Drugs.* 18:00. [PubMed](#)
38. Yoshinaga M, *et al.* 2022. *Nat Commun.* 13:6435. [PubMed](#)
39. Asada S, *et al.* 2018. *Nat Commun.* 9:2733. [PubMed](#)
40. Sackstein C 2014. *Proc Natl Acad Sci U S A.* 111:10696. [PubMed](#)
41. Yamazaki S, *et al.* 2015. *J Immunol.* 195: 3427 - 3435. [PubMed](#)
42. Zhong C, *et al.* 2020. *Immunity.* 52(1):83-95.e4.. [PubMed](#)
43. Sakashita A, *et al.* 2019. *Biol Reprod.* 100:697. [PubMed](#)
44. Hirota K *et al.* 2018. *Immunity.* 48(6):1220-1232 . [PubMed](#)
45. Ghazaryan S, *et al.* 2014. *Mol Cell Biol.* 34:2833. [PubMed](#)
46. Severe N *et al.* 2019. *Cell Stem Cell.* 25(4):570-583 . [PubMed](#)
47. Wang C, *et al.* 2008. *Am J Physiol Regul Integr Comp Physiol.* 294:R811. [PubMed](#)
48. Takayama G, *et al.* 2013. *Int Immunol.* 25:215. [PubMed](#)
49. Roy IM, *et al.* 2021. *Bio Protoc.* 11:e4130. [PubMed](#)
50. Zhang J, *et al.* 2021. *Stem Cell Res Ther.* 12:579. [PubMed](#)
51. Johnson JL *et al.* 2018. *Immunity.* 48(2):243-257 . [PubMed](#)
52. Liu Q, *et al.* 2016. *Cell Death Dis.* 1.93125. [PubMed](#)

RRID AB_313216 (BioLegend Cat. No. 105807)
 AB_313217 (BioLegend Cat. No. 105808)

Antigen Details

Structure	Ig superfamily, 145 kD
Distribution	Hematopoietic stem cells, AML, mast cells
Function	Growth factor receptor, tyrosine kinase
Ligand/Receptor	Stem Cell Factor (SCF)
Cell Type	Embryonic Stem Cells, Hematopoietic stem and progenitors, Leukemia, Mast cells, Mesenchymal Stem Cells
Biology Area	Immunology, Stem Cells
Molecular Family	CD Molecules
Antigen References	<ol style="list-style-type: none"> 1. Barclay A, <i>et al.</i> 1997. <i>The Leukocyte Antigen FactsBook</i> Academic Press. 2. Galli SJ, <i>et al.</i> 1994. <i>Adv. Immunol.</i> 55:1. 3. Ikuta K, <i>et al.</i> 1992. <i>Annu. Rev. Immunol.</i> 10:759. 4. Besmer P, <i>et al.</i> 1986. <i>Nature</i> 320:415. 5. Witte ON. 1990. <i>Cell</i> 63:5.
Gene ID	16590


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

APC anti-mouse CD117 (c-Kit), Biotin anti-mouse CD117 (c-Kit), FITC anti-mouse CD117 (c-Kit), PE anti-mouse CD117 (c-Kit), PE/Cyanine5 anti-mouse CD117 (c-Kit), Purified anti-mouse CD117 (c-Kit), PE/Cyanine7 anti-mouse CD117 (c-Kit), Alexa Fluor® 488 anti-mouse CD117 (c-Kit), Alexa Fluor® 647 anti-mouse CD117 (c-Kit), Pacific Blue™ anti-mouse CD117 (c-Kit), PerCP/Cyanine5.5 anti-mouse CD117 (c-kit), PerCP anti-mouse CD117 (c-kit), APC/Cyanine7 anti-mouse CD117 (c-kit), Brilliant Violet 421™ anti-mouse CD117 (c-Kit), Purified anti-mouse CD117 (c-Kit) (Maxpar® Ready), PE/Dazzle™ 594 anti-mouse CD117 (c-Kit), Brilliant Violet 711™ anti-mouse CD117 (c-Kit), Alexa Fluor® 594 anti-mouse CD117 (c-Kit), APC/Fire™ 750 anti-mouse CD117 (c-Kit), Brilliant Violet 510™ anti-mouse CD117 (c-Kit), Brilliant Violet 785™ anti-mouse CD117 (c-Kit), TotalSeq™-A0012 anti-mouse CD117 (c-kit), Brilliant Violet 605™ anti-mouse CD117 (c-Kit), Alexa Fluor® 700 anti-mouse CD117 (c-Kit), TotalSeq™-B0012 anti-mouse CD117 (c-Kit), TotalSeq™-C0012 anti-mouse CD117 (c-Kit), Spark NIR™ 685 anti-mouse CD117 (c-kit), Brilliant Violet 650™ anti-mouse CD117 (c-kit)

Product Data



C57BL/6 bone marrow cells stained with
2B8 PE and CD11b FITC

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587