

## Alexa Fluor<sup>®</sup> 700 anti-mouse Ki-67 Antibody

<b>Catalog# / Size</b>	652419 / 25 µg 652420 / 100 µg
<b>Clone</b>	16A8
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	KiA, proliferation-related Ki-67 antigen
<b>Isotype</b>	Rat IgG2a, κ
<b>Description</b>	The nuclear protein Ki-67 was first identified by the monoclonal antibody Ki-67, which was generated by immunizing mice with nuclei of the L428 Hodgkin lymphoma cell line. Ki-67 protein plays an essential role in ribosomal RNA transcription and cell proliferation. Expression of Ki-67 occurs during G1, S, G2, and M phase, while in G0 phase the Ki-67 protein is not detectable. Ki-67 is strongly expressed in proliferating cells and has been reported as a prognostic marker in various tumors.

### Product Details

---

<b>Verified Reactivity</b>	Mouse
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Rat
<b>Immunogen</b>	<i>E. coli</i> expressed partial mouse Ki-67 recombinant protein, 1816-2163 aa.
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor <sup>®</sup> 700 under optimal conditions.
<b>Concentration</b>	0.5 mg/ml
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">ICFC - Quality tested</a>
<b>Recommended Usage</b>	<p>Each lot of this antibody is quality control tested by our Ki-67 staining protocol below. For flow cytometric staining, the suggested use of this reagent is ≤0.125 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.</p> <p>* Alexa Fluor<sup>®</sup> 700 has a maximum emission of 719 nm when it is excited at 633 nm / 635 nm. Prior to using Alexa Fluor<sup>®</sup> 700 conjugate for flow cytometric analysis, please verify your flow cytometer's capability of exciting and detecting the fluorochrome.</p> <p>Alexa Fluor<sup>®</sup> and Pacific Blue™ are trademarks of Life Technologies Corporation.</p> <p><a href="#">View full statement regarding label licenses</a></p>
<b>Excitation Laser</b>	Red Laser (633 nm)
<b>Application References</b>	<ol style="list-style-type: none"> <li>1. Medina-Reyes EI, <i>et al.</i> 2015. <i>Environ Res.</i> 136:424. <a href="#">PubMed</a></li> <li>2. Guillaumond F, <i>et al.</i> 2015. <i>PNAS.</i> 112:2473. <a href="#">PubMed</a></li> <li>3. Sharma SK, <i>et al.</i> 2015. <i>J Immunol.</i> 194:5529. <a href="#">PubMed</a></li> <li>4. Rodero MP, <i>et al.</i> 2014. <i>J. Invest. Dermatol.</i> 7:1991-7. <a href="#">PubMed</a></li> </ol>
<b>(PubMed link indicates BioLegend citation)</b>	
<b>Product Citations</b>	<ol style="list-style-type: none"> <li>1. Otano I, <i>et al.</i> 2021. <i>Nat Commun.</i> 12:7296. <a href="#">PubMed</a></li> <li>2. Hill DL, <i>et al.</i> 2021. <i>Elife.</i> 10:. <a href="#">PubMed</a></li> <li>3. Hu W, <i>et al.</i> 2021. <i>Nat Immunol.</i> 22:1163. <a href="#">PubMed</a></li> <li>4. Lee JL, <i>et al.</i> 2022. <i>Aging Cell.</i> 21:e13692. <a href="#">PubMed</a></li> </ol>

5. Chen Z *et al.* 2019. *Immunity*. 51(5):840-855 . [PubMed](#)
6. Pasciuto E, *et al.* 2020. *Cell*. 182:625. [PubMed](#)
7. Chen Z, *et al.* 2021. *Cell*. 184(5):1262-1280.e22. [PubMed](#)
8. Silva-Cayetano A, *et al.* 2020. *Med*. 2(3):243-262.e8. [PubMed](#)
9. Xia L, *et al.* 2021. *Cell Chemical Biology*. 28(5):610-624.e5. [PubMed](#)
10. Song W, *et al.* 2022. *Immunity*. 55:290. [PubMed](#)
11. Jacobs L, *et al.* 2022. *Cancer Gene Ther*. 29:984. [PubMed](#)

**RRID** AB\_2564284 (BioLegend Cat. No. 652419)  
 AB\_2564285 (BioLegend Cat. No. 652420)

## Antigen Details

<b>Structure</b>	325 kD protein containing a forkhead-associated domain (FHA) and 13 tandem repeats
<b>Distribution</b>	Nucleus and chromosome
<b>Function</b>	Required for cell cycle progression and proliferation
<b>Interaction</b>	Interacts with KIF15; binds to MKI67IP through FHA domain
<b>Biology Area</b>	Cell Biology, Cell Cycle/DNA Replication, Transcription Factors
<b>Molecular Family</b>	Nuclear Markers
<b>Antigen References</b>	<ol style="list-style-type: none"> <li>1. Starborg M, <i>et al.</i> 1996. <i>J. Cell. Sci.</i> 109:143.</li> <li>2. Byeon IJ, <i>et al.</i> 2005. <i>Nat. Struct. Mol. Biol.</i> 12:987.</li> <li>3. Yerushalmi R, <i>et al.</i> 2010. <i>Lancet. Oncol.</i> 11:174.</li> <li>4. Beltrami AP, <i>et al.</i> 2001. <i>N. Engl. J. Med.</i> 344:1750.</li> <li>5. Sachsenberg N, <i>et al.</i> 1998. <i>J. Exp. Med.</i> 187:1295.</li> <li>6. Nagy Z, <i>et al.</i> 1997. <i>Acta. Neuropathol.</i> 93:294.</li> </ol>

**Gene ID** [17345](#)


## Related Protocols

[Ki-67 Flow Cytometry Staining Protocol](#)

## Other Formats

Purified anti-mouse Ki-67, PE anti-mouse Ki-67, APC anti-mouse Ki-67, Alexa Fluor® 647 anti-mouse Ki-67, FITC anti-mouse Ki-67, Brilliant Violet 421™ anti-mouse Ki-67, Brilliant Violet 605™ anti-mouse Ki-67, Alexa Fluor® 488 anti-mouse Ki-67, Alexa Fluor® 700 anti-mouse Ki-67, Pacific Blue™ anti-mouse Ki-67, PerCP/Cyanine5.5 anti-mouse Ki-67, PE/Cyanine7 anti-mouse Ki-67, PE/Dazzle™ 594 anti-mouse Ki-67

## Product Data



Con A+IL-2 stimulated (3 days) C57BL/6 mouse splenocytes were fixed and permeabilized with 70% ethanol, and then stained with Ki-67 (clone 16A8) Alexa Fluor® 700 (filled histogram). Unstained cells are represented by the open histogram.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587