

APC anti-mouse CD105 Antibody

Catalog# / Size	120413 / 25 µg 120414 / 100 µg
Clone	MJ7/18
Regulatory Status	RUO
Other Names	Endoglin
Isotype	Rat IgG2a, κ
Description	CD105 is a 90 kD homodimeric type I integral membrane glycoprotein, also known as endoglin. It is expressed on endothelial cells (especially on angiogenic endothelial cells) and upregulated by hypoxia, activated monocytes, macrophages, bone marrow stromal cells, and some cytotrophoblasts. CD105 is a receptor for TGF-β1, TGF-β3 and modulates TGF-β signaling by interacting with TGF-β receptors I and/or II. CD105 also binds other growth factors such as actin A, BMP-2, and BMP-7. CD105 has been show to be a useful marker for identifying proliferating endothelium involved in tumor angiogenesis and can be used for tumor imaging and prognosis, and has therapeutic potential for some solid tumors and other angiogenic diseases.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Rat
Immunogen	Inflamed mouse skin
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography, and conjugated with APC under optimal conditions.
Concentration	0.2 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤0.25 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.
Excitation Laser	Red Laser (633 nm)
Application Notes	Additional reported applications include: immunoprecipitation, Western blotting, and immunofluorescence histochemistry or immunohistochemistry of acetone-fixed frozen sections ²⁻⁴ .
Application References	<ol style="list-style-type: none"> 1. Ge AZ and Butcher EC. 1994. <i>Gene</i> 138:201. 2. Baluk P, <i>et al.</i> 2003. <i>Am. J. Pathol.</i> 163:1801. (IHC) 3. Takahashi T, <i>et al.</i> 2003. <i>Mol. Cell Biol.</i> 23:1817. (IHC) 4. Savinov AY, <i>et al.</i> 2003. <i>J. Exp. Med.</i> 197:643. (IHC)
(PubMed link indicates BioLegend citation)	

Product Citations

1. Hutton C, *et al.* 2021. *Cancer Cell.* 39:1227. [PubMed](#)
2. Huang X, *et al.* 2021. *Stem Cells Int.* 2021:8138374. [PubMed](#)
3. Lai J, *et al.* 2021. *Stem Cell Res.* 55:102477. [PubMed](#)
4. Li Z, *et al.* 2022. *Elife.* 11: [PubMed](#)
5. Hughes RM, *et al.* 2020. *Cancer Research.* 79(14):3636-3650. [PubMed](#)
6. Liu H, *et al.* 2022. *Nat Commun.* 13:3684. [PubMed](#)

7. Galindo C, *et al.* 2014. *J Am Heart Assoc.* 3:773. [PubMed](#)
8. Zhu L, *et al.* 2021. *Stem Cell Res Ther.* 12:408. [PubMed](#)
9. Li Y, *et al.* 2020. *Cell Stem Cell.* 27(5):732-747.e7. [PubMed](#)
10. Formes H, *et al.* 2021. *iScience.* 24:103092. [PubMed](#)
11. Zhang H, *et al.* 2019. *Mol Cell.* 76:110. [PubMed](#)
12. Nanou A, *et al.* 2021. *Cell Reports.* 35(8):109168. [PubMed](#)
13. Yang P *et al.* 2019. *Cell Syst.* 8(5):427-445. [PubMed](#)
14. Nenasheva T, *et al.* 2017. *PLoS One.* 12(6):e0178983. [PubMed](#)
15. Chen R, *et al.* 2021. *Cell Reports.* 34(7):108751. [PubMed](#)
16. Yamazaki M, *et al.* 2021. *Biomedicines.* 9:. [PubMed](#)
17. Wang X, *et al.* 2018. *Nat Commun.* 9:551. [PubMed](#)
18. Jin Y, *et al.* 2020. *PeerJ.* 8:e10374. [PubMed](#)
19. Fan X, *et al.* 2020. *Acta Physiol (Oxf).* 230:e13475. [PubMed](#)
20. Singhal P, *et al.* 2016. *Proc Natl Acad Sci U S A.* 113: 122 - 127. [PubMed](#)
21. Yang X, *et al.* 2021. *Bioact Mater.* 3150:6. [PubMed](#)
22. Woods B, *et al.* 2019. *Clin Cancer Res.* 25:5901. [PubMed](#)
23. Shao Y, *et al.* 2017. *Endocrinology.* 158:2722. [PubMed](#)
24. Lucotti S, *et al.* 2019. *J Clin Invest.* 130:1845. [PubMed](#)
25. Thomson CA, *et al.* 2018. *J Immunol.* 201:215. [PubMed](#)
26. Zhu Q, *et al.* 2021. *J Am Heart Assoc.* 10:e023491. [PubMed](#)

RRID AB_2277915 (BioLegend Cat. No. 120413)
 AB_2277914 (BioLegend Cat. No. 120414)

Antigen Details

Structure	Type I integral membrane protein, homodimer, TGF- β type III receptor family member
Distribution	Endothelial cells, activated monocytes, macrophages, stromal cells, some cytotrophoblast
Function	Suppresses TGF- β signaling, angiogenesis
Ligand/Receptor	TGF- β 1, TGF- β 3
Cell Type	Endothelial cells, Macrophages, Mesenchymal Stem Cells, Monocytes
Biology Area	Angiogenesis, Cell Adhesion, Cell Biology, Immunology, Stem Cells
Molecular Family	Adhesion Molecules, CD Molecules
Antigen References	<ol style="list-style-type: none"> 1. Gougos A and M. Letarte 1988. <i>J. Immunol.</i> 141:1925. 2. Cheifetz S, <i>et al.</i> 1992. <i>J. Bio. Chem.</i> 267:19027. 3. Barbara NP, <i>et al.</i> 1999. <i>J. Bio. Chem.</i> 274:584. 4. Lastres P, <i>et al.</i> 1992. <i>Eur. J. Immunol.</i> 22:393. 5. Duff S, <i>et al.</i> 2003. <i>FASEB J.</i> 17:984. 6. Warrington K, <i>et al.</i> 2005. <i>Anticancer Res.</i> 25:185.
Gene ID	13805

Related Protocols


[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-mouse CD105, Biotin anti-mouse CD105, Alexa Fluor® 488 anti-mouse CD105, PE anti-mouse CD105, PE/Cyanine7 anti-mouse CD105, Pacific Blue™ anti-mouse CD105, APC anti-mouse CD105, PerCP/Cyanine5.5 anti-mouse CD105, Alexa Fluor® 594 anti-mouse CD105, Alexa Fluor® 647 anti-mouse CD105, TotalSeq™-A0812 anti-mouse CD105, PE/Dazzle™ 594 anti-mouse CD105, APC/Fire™ 750 anti-mouse CD105, PE/Cyanine5 anti-mouse CD105, TotalSeq™-C0812 anti-mouse CD105, APC/Cyanine7 anti-mouse CD105

Product Data

Mouse endothelial cell line bEnd.3
stained with MJ7/18 APC



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587