

APC anti-P2RY12 Antibody

Catalog# / Size	848005 / 25 µg 848006 / 100 µg
Clone	S16007D
Regulatory Status	RUO
Other Names	P2Y12, ADPG-R, BDPLT8, HORK3, P2T(AC), P2Y(12)R, P2Y(AC), P2Y(ADP), P2Y(cyc), P2Y12P2Y12 platelet ADP receptor, purinergic receptor P2RY12, purinergic receptor P2Y, G-protein coupled, 12
Isotype	Rat IgG2b, κ
Description	Purinergic Receptor P2Y (P2RY12) is a receptor for ADP and ATP coupled to G-proteins that inhibit the adenylyl cyclase second messenger system. P2RY12 is not activated by UDP and UTP. Required for normal platelet aggregation and blood coagulation. P2RY12 is a highly selective marker for microglia that specifically distinguishes these cells from other myeloid cells.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Rat
Immunogen	Mouse P2RY12.
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography and conjugated with APC under optimal conditions.
Concentration	0.2 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤0.5 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.
Excitation Laser	Red Laser (633 nm)
Application Notes	View the video of our collaborator discussing the importance of highly specific monoclonal antibodies for P2RY12 in Microglia research. Learn more about the validation testing we performed on clone S16007D by watching our Scientific Poster Video .
Additional Product Notes	View more applications data for this product in our Scientific Poster Library .
Product Citations	<ol style="list-style-type: none">1. D'Alessandro G, <i>et al.</i> 2020. Eur J Immunol. 50:705. PubMed2. Wu X, <i>et al.</i> 2021. Elife. 10:. PubMed3. Nair S, <i>et al.</i> 2021. JCI Insight. 6:. PubMed4. Dionisio-Santos DA, <i>et al.</i> 2021. Front Neurosci. 15:758677. PubMed
RRID	AB_2721468 (BioLegend Cat. No. 848005) AB_2721469 (BioLegend Cat. No. 848006)

Antigen Details

Structure	P2RY12 is a 347 amino acid protein with a molecular mass of 39.8 kD.
Distribution	Tissue distribution: platelets, brain (microglia), lung, appendix, pituitary and adrenal glands. Cellular distribution: cell membrane and cytosol.
Function	G-protein coupled receptor that inhibits the adenylyl cyclase second messenger system.
Ligand/Receptor	ADP and ATP.
Cell Type	Microglia, Platelets
Biology Area	Cell Biology, Immunology, Innate Immunity, Neuroscience, Neuroscience Cell Markers
Molecular Family	GPCR, Purinergic Receptors
Antigen References	1. Orr AG, <i>et al.</i> 2009. <i>Nat. Neurosci.</i> 12(7):872-8.
Gene ID	70839

Related Protocols



[Whole Mouse Brain Processing for Microglia Isolation, Cell Separation, and Flow Cytometry](#)

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-P2RY12, PE anti-P2RY12, APC anti-P2RY12, Biotin anti-P2RY12, TotalSeq™-A0415 anti-P2RY12, Spark YG™ 570 anti-P2RY12 Antibody, APC/Fire™ 810 anti-P2RY12, Alexa Fluor® 488 anti-P2RY12

Product Data



Brain from a C57BL/6 mouse was digested with collagenase and microglial cells were enriched with a percoll gradient and then stained with CX3CR1 Alexa Fluor® 488 and P2RY12 (clone S16007D) APC (top) or rat IgG2b, κ APC isotype control (bottom).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587