

APC/Cyanine7 anti-mouse CD45.1 Antibody

Catalog# / Size	110715 / 25 µg 110716 / 100 µg
Clone	A20
Regulatory Status	RUO
Other Names	T200, Ly-5.1, LCA
Isotype	Mouse (A.SW) IgG2a, κ
Description	CD45.1 is an alloantigen of CD45, expressed by Ly5.1 bearing mouse strains (e.g., RIII, SJL/J, STS/A, DA). CD45, a member of the protein tyrosine phosphatase (PTP) family, is a 180-240 kD glycoprotein expressed on all hematopoietic cells except mature erythrocytes and platelets. There are multiple isoforms in mice that play key roles in TCR and BCR signal transduction. These isoforms are very specific to the activation and maturation states of the cell as well as specific cell types. The primary ligands for CD45 are galectin-1, CD2, CD3, CD4, TCR, CD22, and Thy-1.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	SJL mouse thymocytes and splenocytes
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography, and conjugated with APC/Cyanine7 under optimal conditions.
Concentration	0.2 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤1.0 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.
Excitation Laser	Red Laser (633 nm)
Application Notes	The A20 antibody does not react with leukocytes or mouse cells expressing the CD45.2 alloantigen. Additional reported applications (for relevant formats of this clone) include: immunoprecipitation ³ , <i>in vitro</i> blocking of B cell responses ^{1,2} , immunohistochemical staining of frozen sections: OCT embedded ⁷ and acetone-fixed ⁴⁻⁶ (direct immunofluorescence detection with fluorochrome conjugated A20 was used in (5) and (6)).
Additional Product Notes	BioLegend is in the process of converting the name APC/Cy7 to APC/Cyanine7. The dye molecule remains the same, so you should expect the same quality and performance from our APC/Cyanine7 products. Please contact Technical Service if you have any questions.
Application References	<ol style="list-style-type: none"> 1. Yakura H, <i>et al.</i> 1983. <i>J. Exp. Med.</i> 157:1077. (Block) 2. Yakura H, <i>et al.</i> 1986. <i>J. Immunol.</i> 136:2729. (Block) 3. Shen FW, <i>et al.</i> 1986. <i>Immunogenetics</i> 24:146. (IP) 4. Suzuki K, <i>et al.</i> 2000. <i>Immunity</i> 13:691. (IHC-F) 5. Werner N, <i>et al.</i> 2002. <i>Arterioscler. Thromb. Vasc. Biol.</i> 22:1567. (IHC-F) 6. Lessner SM, <i>et al.</i> 2002. <i>Am. J. Pathol.</i> 160:2145. (FC, IHC-F) 7. Chen CC, <i>et al.</i> 2005. <i>P. Natl. Acad. Sci. USA</i> 102:11408 (IHC-F)
(PubMed link indicates BioLegend citation)	

8. Pascal V, *et al.* 2007. *J. Immunol.* 179:1751. (FC)
9. Mende I, *et al.* 2006. *Blood* 107:1383. (IHC-F, FC)
10. Phan TG, *et al.* 2007. *Nature Immunol.* 8:992. (FC)
11. Wither DR, *et al.* 2009. *J. Immunol.* 183:5079. [PubMed](#)
12. Pascal V, *et al.* 2007. *J. Immunol.* 179:1751. [PubMed](#)
13. Lee SW, *et al.* 2009. *J. Immunol.* 182:6753. [PubMed](#)
14. Takada K, *et al.* 2009. *J. Exp Med.* 206:2253. [PubMed](#)
15. Beamer CA, *et al.* 2007. *Am. J. Respir. Cell. Mol. Biol.* 37:729. (FC) [PubMed](#)
16. Li LX, *et al.* 2010. *J. Immunol.* 184:1728. [PubMed](#)
17. Hosoi A, *et al.* 2008. *Cancer Res.* 68:3941. (FC) [PubMed](#)
18. Kenna TJ, *et al.* 2008. *Blood* 111:2091. [PubMed](#)
19. Kohlmeier JE, *et al.* 2008. *Immunity.* 29:101. (FC) [PubMed](#)

Product Citations

1. Jash A, *et al.* 2016. *J Immunol.* 197: 1159 - 1168. [PubMed](#)
2. Wu J *et al.* 2017. *Immunity.* 47(6):1114-1128. [PubMed](#)
3. Chappaz S, *et al.* 2021. *Cell Reports.* 36(3):109430. [PubMed](#)
4. Le Q, *et al.* 2021. *Clin Cancer Res.* Online ahead of prin. [PubMed](#)
5. Mogilenko DA, *et al.* 2020. *Immunity.* 54(1):99-115.e12. [PubMed](#)
6. Leimkühler NB, *et al.* 2020. *Cell Stem Cell.* 28:637. [PubMed](#)
7. Acharya N, *et al.* 2020. *Immunity.* 53(3):658-671.e6. [PubMed](#)
8. Frame JM, *et al.* 2020. *Developmental Cell.* 55(2):133-149.e6. [PubMed](#)
9. Jia X, *et al.* 2021. *Clin Transl Immunology.* 10:e1336. [PubMed](#)
10. Swidergall M, *et al.* 2019. *Cell Rep.* 28:423. [PubMed](#)
11. LaFleur MW, *et al.* 2019. *Nat Immunol.* 20:1335. [PubMed](#)
12. Ciecko AE, *et al.* 2019. *Cell Rep.* 29:3073. [PubMed](#)
13. Amor C, *et al.* 2020. *Nature.* 583:127. [PubMed](#)
14. Yang L, *et al.* 2021. *Cell Death Differ.* 28:2616. [PubMed](#)
15. Aegerter H, *et al.* 2020. *Nat Immunol.* 0.975694444. [PubMed](#)
16. Ji B, *et al.* 2016. *Cell Death Differ.* 23:759-75. [PubMed](#)
17. Benechet AP, *et al.* 2019. *Nature.* 574:200. [PubMed](#)
18. Fu H, *et al.* 2020. *Front Immunol.* 11:595813. [PubMed](#)
19. Li Y, *et al.* 2020. *Cell Stem Cell.* 27(5):732-747.e7. [PubMed](#)
20. Chen Z *et al.* 2019. *Immunity.* 51(5):840-855. [PubMed](#)
21. Li J, *et al.* 2018. *Immunity.* 49:178. [PubMed](#)
22. Pinho S, *et al.* 2022. *Nat Cell Biol.* 24:290. [PubMed](#)
23. Sun L, *et al.* 2021. *Cell Reports.* 35(9):109188. [PubMed](#)
24. Siamishi I, *et al.* 2020. *Cell Reports.* 31(11):107756. [PubMed](#)
25. De Simone G, *et al.* 2021. *Immunity.* .: [PubMed](#)
26. LaFleur MW, *et al.* 2019. *Nat Commun.* 10:1668. [PubMed](#)
27. Olson WJ, *et al.* 2019. *Cell Rep.* 28:2878. [PubMed](#)
28. Burgess M, *et al.* 2014. *Blood.* 124:3947. [PubMed](#)
29. Araujo Furlan CL, *et al.* 2018. *Front Immunol.* 2.149305556. [PubMed](#)
30. Chen F, *et al.* 2022. *Cell Rep.* 38:110215. [PubMed](#)
31. Izumi G, *et al.* 2021. *Nat Commun.* 12:5029. [PubMed](#)
32. Chen R, *et al.* 2021. *Cell Reports.* 34(7):108751. [PubMed](#)
33. Youshani AS, *et al.* 2019. *J Neuroinflammation.* 16:25. [PubMed](#)
34. Shaikh H, *et al.* 2021. *Front Immunol.* 12:689896. [PubMed](#)
35. Chen Z, *et al.* 2021. *Cell.* 184(5):1262-1280.e22. [PubMed](#)
36. Fan MY *et al.* 2018. *Cell reports.* 25(5):1204-1213. [PubMed](#)
37. Di Pilato M, *et al.* 2021. *Cell.* 184(17):4512-4530.e22. [PubMed](#)
38. Wang X, *et al.* 2022. *Elife.* 11.: [PubMed](#)
39. Jing Y, *et al.* 2019. *J Allergy Clin Immunol.* 144:1377. [PubMed](#)
40. Sun D, *et al.* 2020. *PLoS Pathog.* 16:e1008361. [PubMed](#)
41. Chen S, *et al.* 2018. *Nat Commun.* 9:5298. [PubMed](#)

RRID

AB_313504 (BioLegend Cat. No. 110715)
 AB_313505 (BioLegend Cat. No. 110716)

Antigen Details

Structure	Protein tyrosine phosphatase (PTP) family, 180-240 kD
Distribution	All hematopoietic cells except mature erythrocytes and platelets of the CD45.1 strain of mice
Function	Phosphatase, T and B cell activation
Ligand/Receptor	Galectin-1, CD2, CD3, CD4
Biology Area	Cell Biology, Immunology, Inhibitory Molecules, Neuroscience, Neuroscience Cell Markers
Molecular Family	CD Molecules
Antigen References	<ol style="list-style-type: none"> 1. Barclay A, <i>et al.</i> 1997. <i>The Leukocyte Antigen FactsBook</i> Academic Press. 2. Trowbridge IS, <i>et al.</i> 1993. <i>Annu. Rev. Immunol.</i> 12:85. 3. Kishihara K, <i>et al.</i> 1993. <i>Cell</i> 74:143.

Gene ID [19264](#)


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Biotin anti-mouse CD45.1, FITC anti-mouse CD45.1, PE anti-mouse CD45.1, Purified anti-mouse CD45.1, APC anti-mouse CD45.1, APC/Cyanine7 anti-mouse CD45.1, Alexa Fluor® 488 anti-mouse CD45.1, Alexa Fluor® 647 anti-mouse CD45.1, Pacific Blue™ anti-mouse CD45.1, Alexa Fluor® 700 anti-mouse CD45.1, Brilliant Violet 650™ anti-mouse CD45.1, PerCP anti-mouse CD45.1, PerCP/Cyanine5.5 anti-mouse CD45.1, PE/Cyanine7 anti-mouse CD45.1, Brilliant Violet 421™ anti-mouse CD45.1, Brilliant Violet 570™ anti-mouse CD45.1, Brilliant Violet 605™ anti-mouse CD45.1, Brilliant Violet 711™ anti-mouse CD45.1, Brilliant Violet 510™ anti-mouse CD45.1, Brilliant Violet 785™ anti-mouse CD45.1, Purified anti-mouse CD45.1 (Maxpar® Ready), PE/Dazzle™ 594 anti-mouse CD45.1, Alexa Fluor® 594 anti-mouse CD45.1, APC/Fire™ 750 anti-mouse CD45.1, TotalSeq™-A0178 anti-mouse CD45.1, TotalSeq™-B0178 anti-mouse CD45.1, TotalSeq™-C0178 anti-mouse CD45.1

Product Data



SJL mouse splenocytes were stained with CD45.1 (clone A20) APC/Cyanine7 (filled histogram) or mouse IgG2a APC/Cyanine7 isotype control (open histogram).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587