

## APC/Fire™ 750 anti-human CD304 (Neuropilin-1) Antibody

<b>Catalog# / Size</b>	354523 / 25 tests 354524 / 100 tests
<b>Clone</b>	12C2
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	BDCA-4
<b>Isotype</b>	Mouse IgG2a, κ
<b>Description</b>	CD304, also known as neuropilin-1, BDCA-4 and VEGF165R, is a 140 kD type I transmembrane protein. Its extracellular region contains 2 CUB, 2 FV/FVIII, and one MAM domain; a soluble isoform is produced by alternative mRNA splicing. CD304 is involved in angiogenesis, neural development, and tumor metastasis. It's expressed by plasmacytoid dendritic cells, thymocytes, neurons, endothelium, and a subset of T <sub>H1</sub> cells. CD304 is also expressed in several carcinomas, and a high expression of this molecule in prostate cancer correlates with a poor prognosis.

### Product Details

---

<b>Verified Reactivity</b>	Human
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Mouse
<b>Immunogen</b>	CD304-Fc Fusion protein
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with APC/Fire™ 750 under optimal conditions.
<b>Concentration</b>	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our <a href="#">Concentration and Expiration Lookup</a> or <a href="#">Certificate of Analysis</a> online tools.)
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a>
<b>Recommended Usage</b>	Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a> . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.  * APC/Fire™ 750 has a maximum excitation of 650 nm and a maximum emission of 787 nm.
<b>Excitation Laser</b>	Red Laser (633 nm)
<b>Product Citations</b>	1. Rodda LB, <i>et al.</i> 2020. Cell. 184(1):169-183.e17. <a href="#">PubMed</a>
<b>RRID</b>	AB_2715882 (BioLegend Cat. No. 354523) AB_2715883 (BioLegend Cat. No. 354524)

### Antigen Details

---

<b>Structure</b>	Type I transmembrane protein, 140 kD, 2 complement binding domains (CUB), 2 coagulation factor V/VIII homology domains (FV/FVIII), one meprin, A5, receptor tyrosine phosphatase domain (MAM)
<b>Distribution</b>	Plasmacytoid dendritic cells, thymocytes, subset of follicular helper T cells (T <sub>FH</sub> ), endothelial cells,

neurons, some carcinomas

<b>Function</b>	Angiogenesis, neuronal development, tumor metastasis
<b>Ligand/Receptor</b>	VEGF165, semaphorin-3A
<b>Cell Type</b>	Dendritic cells, Endothelial cells, Neurons, Tfh, Thymocytes
<b>Biology Area</b>	Angiogenesis, Cell Adhesion, Cell Biology, Immunology, Innate Immunity, Neuroscience, Synaptic Biology
<b>Molecular Family</b>	Adhesion Molecules, CD Molecules
<b>Antigen References</b>	1. Mizui M and Kikutani H. 2008. <i>Immunity</i> 28:302. 2. Hamerlik P, et al. 2012. <i>J. Exp. Med.</i> 209:507. 3. Karjalainen K, et al. 2011. <i>Blood</i> 117:920. 4. Lepelletier Y, et al. 2007. <i>P. Natl. Acad. Sci. USA</i> 104:5545.
<b>Gene ID</b>	<a href="#">8829</a>


## Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

## Other Formats

Purified anti-human CD304 (Neuropilin-1), PE anti-human CD304 (Neuropilin-1), APC anti-human CD304 (Neuropilin-1), PE/Cyanine7 anti-human CD304 (Neuropilin-1), PerCP/Cyanine5.5 anti-human CD304 (Neuropilin-1), FITC anti-human CD304 (Neuropilin-1), Brilliant Violet 421™ anti-human CD304 (Neuropilin-1), Brilliant Violet 510™ anti-human CD304 (Neuropilin-1), Alexa Fluor® 647 anti-human CD304 (Neuropilin-1), Pacific Blue™ anti-human CD304 (Neuropilin-1), Biotin anti-human CD304 (Neuropilin-1), APC/Fire™ 750 anti-human CD304 (Neuropilin-1), TotalSeq™-A0406 anti-human CD304 (Neuropilin-1), TotalSeq™-C0406 anti-human CD304 (Neuropilin-1), TotalSeq™-B0406 anti-human CD304 (Neuropilin-1), Brilliant Violet 605™ anti-human CD304 (Neuropilin-1), Brilliant Violet 711™ anti-human CD304 (Neuropilin-1), TotalSeq™-D0406 anti-human CD304 (Neuropilin-1), PE/Dazzle™ 594 anti-human CD304 (Neuropilin-1), APC/Fire™ 810 anti-human CD304 (Neuropilin-1), PE/Fire™ 810 anti-human CD304 (Neuropilin-1)

## Product Data



Human peripheral blood mononuclear cells were stained with CD303 PE and CD304 (clone 12C2) APC/Fire™ 750 (top) or mouse IgG2a, κ APC/Fire™ 750 isotype control (bottom).

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587