

Biotin anti-TFAM Antibody

Catalog# / Size	850505 / 25 µg 850506 / 100 µg
Clone	18G102B2E11
Regulatory Status	RUO
Other Names	Transcription factor A, mitochondrial, mtTFA, MtTF1, TCF6, TCF-6, Transcription Factor 6
Isotype	Mouse IgG2b, κ
Description	TFAM (Transcription Factor A, Mitochondrial) binds to the mitochondrial light strand promoter and functions in mitochondrial transcription regulation, and DNA replication and repair. The protein is required for accurate and efficient promoter recognition by mitochondrial RNA polymerase. Sequence polymorphisms in the TFAM gene are associated with Alzheimer's and Parkinson's diseases. Other diseases associated with TFAM include Mitochondrial DNA Depletion Syndrome, Hepatocerebral Form and Deoxyguanosine Kinase Deficiency.

Product Details

Verified Reactivity	Human
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	Full-length human TFAM protein
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography and conjugated with biotin under optimal conditions.
Concentration	0.5 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C. Do not freeze.
Application	WB - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by Western blotting . For Western blotting, the suggested use of this reagent is 0.1 - 1.0 µg per ml. It is recommended that the reagent be titrated for optimal performance for each application.
Application Notes	This antibody recognizes endogenous TFAM in human brain tissues in WB and IHC applications but does not recognize mouse TFAM.
Application References (PubMed link indicates BioLegend citation)	1. Wang YE, <i>et al.</i> 2013. <i>PLoS One</i> 8(8):e74513. (WB) 2. Caielli S, <i>et al.</i> 2016. <i>J Exp Med.</i> 213(5):697-713. (WB)
RRID	AB_2801185 (BioLegend Cat. No. 850505) AB_2801186 (BioLegend Cat. No. 850506)

Antigen Details

Structure	TFAM is synthesized as a precursor form with a mitochondrial targeting peptide, which is removed by processing after import to the mitochondria. Mature TFAM has an apparent molecular weight of ~25 kD. Alternative splicing results in multiple transcript variants.
Distribution	Tissue distribution: Central nervous system, skin, kidney, lung, thyroid, lymph nodes, breast, esophagus, and heart.

Cellular distribution: Mitochondrion, nucleus, and cytosol.

Function	TFAM functions in mitochondrial transcription regulation, and DNA replication and repair.
Interaction	TFB1M, TFB2M, CLPX
Biology Area	Cell Biology, Mitochondrial Function, Neuroscience, Neuroscience Cell Markers, Transcription Factors
Molecular Family	Mitochondrial Markers
Antigen References	1. Bestwick ML, Shadel GS. 2013. <i>Trends Biochem Sci</i> 38(6):283-91. 2. Ramachandran A, et al. 2017. <i>Nucleic Acids Res</i> 45(2):861-874. 3. Günther C, et al. 2004. <i>Neurosci. Lett.</i> 369: 219–223.
Gene ID	7019


Related Protocols

[Western Blotting Protocol](#)

Other Formats

Purified anti-TFAM, HRP anti-TFAM, Biotin anti-TFAM

Product Data



Western blot of Biotin anti-TFAM antibody (clone 18G102B2E11). Lane 1: Molecular weight marker; Lane 2: 20 µg of human brain lysate. The blot was incubated with 0.50 µg/mL of the primary antibody overnight at 4°C, followed by incubation with HRP Streptavidin (Cat. No. 405210). Enhanced chemiluminescence (Cat. No. 426302) was used as the detection system.

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587