

Brilliant Violet 711™ anti-mouse CD80 Antibody

Catalog# / Size	104743 / 50 µg
Clone	16-10A1
Regulatory Status	RUO
Other Names	B7-1, B7, Ly-53
Isotype	Armenian Hamster IgG
Description	CD80 is a 60 kD highly glycosylated protein. It is a member of the Ig superfamily and is also known as B7-1, B7, and Ly-53. CD80 is constitutively expressed on dendritic cells and monocytes/macrophages, and inducibly expressed on activated B and T cells. The ligation of CD28 on T cells with CD80 and CD86 (B7-2) on antigen presenting cells (such as dendritic cells, macrophages, and B cells) elicits co-stimulation of T cells resulting in enhanced cell activation, proliferation, and cytokine production. CD80 appears to be expressed later in the immune response than CD86. CD80 can also bind to CD152, also known as CTLA-4, to deliver an inhibitory signal to T cells.

Product Details

Verified Reactivity	Mouse
Reported Reactivity	Dog
Antibody Type	Monoclonal
Host Species	Armenian Hamster
Immunogen	CHO cell line transfected with mouse B7 (CD80)
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).
Preparation	The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 711™ under optimal conditions.
Concentration	0.2 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	<p>Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤ 0.5 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.</p> <p>Brilliant Violet 711™ excites at 405 nm and emits at 711 nm. The bandpass filter 710/50 nm is recommended for detection, although filter optimization may be required depending on other fluorophores used. Be sure to verify that your cytometer configuration and software setup are appropriate for detecting this channel. Refer to your instrument manual or manufacturer for support. Brilliant Violet 711™ is a trademark of Sirigen Group Ltd.</p> <p>Learn more about Brilliant Violet™.</p> <p>This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.</p>
Excitation Laser	Violet Laser (405 nm)
Application Notes	Additional reported applications (for the relevant formats) include: immunoprecipitation ² , <i>in vitro</i>

and *in vivo* blocking of CTLA-4 Ig to CD80 by blocking costimulation of T cells by activated B cells²⁻⁴, and immunohistochemical staining of acetone-fixed frozen sections^{1,4}. The Ultra-LEAF™ purified antibody (Endotoxin < 0.01 EU/μg, Azide-Free, 0.2 μm filtered) is recommended for functional assays (Cat. Nos. 104747-104752).

Application References

(PubMed link indicates BioLegend citation)

1. Harlan DM, *et al.* 1994. *P. Natl. Acad. Sci. USA* 91:3137. (IHC)
2. Razi-Wolf Z, *et al.* 1992. *P. Natl. Acad. Sci. USA* 89:4210. (Block, IP)
3. Hathcock KS, *et al.* 1994. *J. Exp. Med.* 180:631. (Block)
4. Herold KC, *et al.* 1997. *J. Immunol.* 158:984. (Block, IHC)
5. Ma XT, *et al.* 2006. *Cancer Res.* 66:1169.
6. Andoniou CE, *et al.* 2005. *Nature Immunology* 6:1011. (FC)
7. Lawson BR, *et al.* 2007. *J. Immunol.* 178:5366.
8. Turnquist HR, *et al.* 2007. *J. Immunol.* 178:7018.
9. Misra RS, *et al.* 2010. *J. Exp Med.* 207:1775. [PubMed](#)
10. del Rio ML, *et al.* 2011. *Transpl. Int.* 24:501. (FC) [PubMed](#)
11. Philipsen L, *et al.* 2013. *Mol Cell Proteomics.* 12:2551. [PubMed](#)

RRID AB_2810338 (BioLegend Cat. No. 104743)

Antigen Details

Structure	Ig superfamily, 60 kD
Distribution	Macrophages, activated B cells and T cells, dendritic cells
Function	T cell costimulation
Ligand/Receptor	CD28 (stimulatory), CD152(CTLA4) (inhibitory)
Cell Type	B cells, Dendritic cells, Macrophages, T cells, Tregs
Biology Area	Cell Biology, Costimulatory Molecules, Immunology, Neuroscience, Neuroscience Cell Markers
Molecular Family	CD Molecules, Immune Checkpoint Receptors
Antigen References	<ol style="list-style-type: none">1. Barclay AN, <i>et al.</i> 1997. <i>The Leukocyte Antigen FactsBook</i> Academic Press.2. Linsley PS, <i>et al.</i> 1991. <i>J. Exp. Med.</i> 174:561.3. Salomon B, <i>et al.</i> 2001. <i>Annu. Rev. Immunol.</i> 19:225.
Gene ID	12519


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Biotin anti-mouse CD80, FITC anti-mouse CD80, PE anti-mouse CD80, Purified anti-mouse CD80, PE/Cyanine5 anti-mouse CD80, APC anti-mouse CD80, Alexa Fluor® 488 anti-mouse CD80, Alexa Fluor® 647 anti-mouse CD80, PerCP/Cyanine5.5 anti-mouse CD80, Pacific Blue™ anti-mouse CD80, Brilliant Violet 421™ anti-mouse CD80, Brilliant Violet 605™ anti-mouse CD80, Brilliant Violet 650™ anti-mouse CD80, PE/Cyanine7 anti-mouse CD80, Purified anti-mouse CD80 (Maxpar® Ready), PE/Dazzle™ 594 anti-mouse CD80, APC/Fire™ 750 anti-mouse CD80, Brilliant Violet 711™ anti-mouse CD80, Brilliant Violet 510™ anti-mouse CD80, TotalSeq™-A0849 anti-mouse CD80, TotalSeq™-C0849 anti-mouse CD80, Ultra-LEAF™ Purified anti-mouse CD80, Alexa Fluor® 594 anti-mouse CD80, TotalSeq™-B0849 anti-mouse CD80 Antibody, PE/Fire™ 640 anti-mouse CD80, Spark NIR™ 685 anti-mouse CD80

Product Data



C57BL/6 mouse splenocytes were stimulated with LPS for 3 days. Cells were stained with CD80 (clone 16-10A1) Brilliant Violet™ 711 (filled histogram) or Armenian hamster IgG Brilliant Violet™ 711 isotype control (open histogram)

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587