

PE/Fire™ 640 anti-mouse CX3CR1 Antibody

Catalog# / Size	149055 / 25 µg
Clone	SA011F11
Regulatory Status	RUO
Other Names	Chemokine (C-X3-C motif) receptor 1, Fractalkine receptor, GPR13, CCRL1, CMKBRL1, CMKDR1, V28
Isotype	Mouse IgG2a, κ
Description	CX3CR1 is a 40 kD, G-protein coupled receptor, with seven transmembrane regions. CX3CR1 is expressed by resident and alternatively activated macrophages (M2), a subset of monocytes, dendritic cells (DCs), NK cells, a subset of memory T cells, and mast cells. CX3CR1 is involved in cell recruitment during inflammation and participates in cell adhesion and extravasation from blood vessels. Its ligand is CX3CL1, also known as fractalkine or neurotactin. CX3CR1 is also a coreceptor for HIV1 and variations in this gene leads to increased susceptibility to HIV. In the brain, it is expressed by glial cells, which interact with CX3CL1 expressed by neurons.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	Mouse CX3CR1-transfected cells
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide; may contain stabilizer.
Preparation	The antibody was purified by affinity chromatography and conjugated with PE/Fire™ 640 under optimal conditions.
Concentration	0.2 mg/mL
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤ 0.03 µg per million cells in 100 µL volume. It is recommended that the reagent be titrated for optimal performance for each application. * PE/Fire™ 640 has a maximum excitation of 566 nm and a maximum emission of 639 nm.
Excitation Laser	Blue Laser (488 nm) Green Laser (532 nm)/Yellow-Green Laser (561 nm)
Application Notes	View more applications data for a different format of this clone in our Scientific Poster Library .
RRID	AB_2924479 (BioLegend Cat. No. 149055)

Antigen Details

Structure	G-protein coupled receptor, 7 transmembrane regions, 40 kD.
Distribution	Resident and alternatively activated macrophages (M2), subset of monocytes, dendritic cells (DCs), natural killer cells (NK), subset of memory T cells, mast cells, glial cells, and astrocytes.

Function	Involved in cell recruitment during inflammation, participates in cell adhesion and extravasation from blood vessels, coreceptor for HIV1.
Ligand/Receptor	CX3CL1 (fractalkine, neurotactin).
Cell Type	Astrocytes, Dendritic cells, Macrophages, Mast cells, Microglia, Monocytes, NK cells, T cells
Biology Area	Cell Adhesion, Cell Biology, Immunology, Innate Immunity, Neuroscience, Neuroscience Cell Markers
Molecular Family	Cytokine/Chemokine Receptors, GPCR
Antigen References	<ol style="list-style-type: none"> 1. Ponzetta A, <i>et al.</i> 2013. <i>J. Immunol.</i> 191:5684. 2. Jacquelin S, <i>et al.</i> 2013. <i>Blood.</i> 122:674. 3. Garcia JA, <i>et al.</i> 2013. <i>J. Immunol.</i> 191:1063. 4. Lee YS, <i>et al.</i> 2013. <i>Cell.</i> 153:413. 5. Shechter R, <i>et al.</i> 2013. <i>Immunity.</i> 38:555.
Gene ID	13051


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-mouse CX3CR1, Alexa Fluor® 647 anti-mouse CX3CR1, PE anti-mouse CX3CR1, APC anti-mouse CX3CR1, PerCP/Cyanine5.5 anti-mouse CX3CR1, Brilliant Violet 421™ anti-mouse CX3CR1, Brilliant Violet 510™ anti-mouse CX3CR1, FITC anti-mouse CX3CR1, Alexa Fluor® 488 anti-mouse CX3CR1, PE/Dazzle™ 594 anti-mouse CX3CR1, PE/Cyanine7 anti-mouse CX3CR1, Biotin anti-mouse CX3CR1, Brilliant Violet 605™ anti-mouse CX3CR1, Brilliant Violet 785™ anti-mouse CX3CR1, Brilliant Violet 711™ anti-mouse CX3CR1, Brilliant Violet 650™ anti-mouse CX3CR1, Alexa Fluor® 700 anti-mouse CX3CR1, APC/Fire™ 750 anti-mouse CX3CR1, Pacific Blue™ anti-mouse CX3CR1, TotalSeq™-A0563 anti-mouse CX3CR1, TotalSeq™-C0563 anti-mouse CX3CR1, TotalSeq™-B0563 anti-mouse CX3CR1, APC/Cyanine7 anti-mouse CX3CR1 Antibody, PE/Cyanine5 anti-mouse CX3CR1, PE/Fire™ 700 anti-mouse CX3CR1, APC/Fire™ 810 anti-mouse CX3CR1, PE/Fire™ 640 anti-mouse CX3CR1

Product Data



C57BL/6 mouse splenocytes were stained with anti-mouse CD11b FITC and anti-mouse CX3CR1 (clone SA011F11) PE/Fire™ 640 (left) or stained with anti-mouse CD11b FITC only (right).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587

