

## PE anti-mouse CD196 (CCR6) Antibody

<b>Catalog# / Size</b>	129803 / 25 µg 129804 / 100 µg
<b>Clone</b>	29-2L17
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	CD196, BN-1, CKR-L3, DRY6, KY411, STRL22
<b>Isotype</b>	Armenian Hamster IgG
<b>Description</b>	CCR6 is a G-protein linked chemokine receptor which binds the chemokine CCL20/MIP-3a. It is expressed on B lymphocytes and certain subsets of dendritic cells and T cells. CCR6 is reported to be involved in mucosal immune response and lymphocyte migration and homeostasis.

### Product Details

---

<b>Verified Reactivity</b>	Mouse
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Armenian Hamster
<b>Immunogen</b>	N-terminal peptide (aa. 2-38) of mouse CCR6 fused with GST
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
<b>Preparation</b>	The antibody was purified by affinity chromatography, and conjugated with PE under optimal conditions.
<b>Concentration</b>	0.2 mg/ml
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a>
<b>Recommended Usage</b>	Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a> . For flow cytometric staining, the suggested use of this reagent is ≤0.25 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.
<b>Excitation Laser</b>	Blue Laser (488 nm) Green Laser (532 nm)/Yellow-Green Laser (561 nm)
<b>Product Citations</b>	<ol style="list-style-type: none"> <li>Doisne J, <i>et al.</i> 2015. J Immunol. 195: 3937 - 3945.. <a href="#">PubMed</a></li> <li>Liu QZ, <i>et al.</i> 2018. Front Immunol. 1.131944444. <a href="#">PubMed</a></li> <li>Kobayashi T, <i>et al.</i> 2019. Cell. 176:982. <a href="#">PubMed</a></li> <li>Browning LM, <i>et al.</i> 2020. Cell Rep. 33:108219. <a href="#">PubMed</a></li> <li>Chen J, <i>et al.</i> 2017. J Biol Chem. 292:14532. <a href="#">PubMed</a></li> <li>Shibata K, <i>et al.</i> 2014. J Immunol. 192:2210. <a href="#">PubMed</a></li> <li>Huang X, <i>et al.</i> 2020. Cell Host Microbe. 29(2):210-221.e6. <a href="#">PubMed</a></li> <li>Alves C, <i>et al.</i> 2015. PLoS One. 10: 0142972. <a href="#">PubMed</a></li> <li>Sundling C, <i>et al.</i> 2021. Immunity. 54(5):988-1001.e5. <a href="#">PubMed</a></li> <li>Linehan JL <i>et al.</i> 2018. Cell. 172(4):784-796 . <a href="#">PubMed</a></li> <li>Li Z, <i>et al.</i> 2018. Front Immunol. 9:347. <a href="#">PubMed</a></li> <li>Martínez-López M <i>et al.</i> 2019. Immunity. 50(2):446-461 . <a href="#">PubMed</a></li> <li>Wara AK, <i>et al.</i> 2020. Cell Rep. 33:108550. <a href="#">PubMed</a></li> <li>Chatterjee S <i>et al.</i> 2017. Cell metabolism. 27(1):85-100 . <a href="#">PubMed</a></li> <li>Timilshina M, <i>et al.</i> 2017. PLoS One. 10.1371/journal.pone.0168942. <a href="#">PubMed</a></li> <li>Suan D <i>et al.</i> 2017. Immunity. 47(6):1142-1153 . <a href="#">PubMed</a></li> <li>Engel I, <i>et al.</i> 2016. Nat Immunol. 10.1038/ni.3437. <a href="#">PubMed</a></li> <li>Zeis P, <i>et al.</i> 2020. Immunity. 53:775. <a href="#">PubMed</a></li> <li>Shin JW, <i>et al.</i> 2020. Cell Death Dis. 0.667361111. <a href="#">PubMed</a></li> </ol>

20. Mony J, *et al.* 2014. *Mult Scler.* . [PubMed](#)
21. Zhong C, *et al.* 2020. *Immunity.* 52(1):83-95.e4. [PubMed](#)
22. Hirota K *et al.* 2018. *Immunity.* 48(6):1220-1232 . [PubMed](#)
23. Wang X, *et al.* 2021. *Immunity.* 54(6):1123-1136.e8. [PubMed](#)
24. Goc J, *et al.* 2021. *Cell.* .: [PubMed](#)

**RRID** AB\_1279139 (BioLegend Cat. No. 129803)  
 AB\_1279137 (BioLegend Cat. No. 129804)

## Antigen Details

<b>Structure</b>	G-protein linked, seven transmembrane, domain-spanning chemokine receptor; 367 amino acids long and about 75% homology with human CCR6
<b>Distribution</b>	Expressed on spleen B cells, immature splenic dendritic cells in Peyer's patches, and some T cell subset
<b>Function</b>	Important in regulating mucosal immune response
<b>Ligand/Receptor</b>	CCL20/MIP-3a
<b>Cell Type</b>	B cells, Dendritic cells, T cells
<b>Biology Area</b>	Immunology
<b>Molecular Family</b>	CD Molecules, Cytokine/Chemokine Receptors, GPCR
<b>Antigen References</b>	<ol style="list-style-type: none"> <li>1. Rossi D, <i>et al.</i> 1997. <i>J. Immunol.</i> 158:1033.</li> <li>2. Lukacs N, <i>et al.</i> 2001. <i>J. Exp. Med.</i> 194:551.</li> <li>3. Cook DN, <i>et al.</i> 2000. <i>Immunity</i> 12:495</li> </ol>
<b>Gene ID</b>	<a href="#">12458</a>


## Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

## Other Formats

Purified anti-mouse CD196 (CCR6), PE anti-mouse CD196 (CCR6), Alexa Fluor® 647 anti-mouse CD196 (CCR6), PerCP/Cyanine5.5 anti-mouse CD196 (CCR6), APC anti-mouse CD196 (CCR6), PE/Cyanine7 anti-mouse CD196 (CCR6), Brilliant Violet 421™ anti-mouse CD196 (CCR6), Brilliant Violet 605™ anti-mouse CD196 (CCR6), PE/Dazzle™ 594 anti-mouse CD196 (CCR6), Brilliant Violet 785™ anti-mouse CD196 (CCR6), TotalSeq™-A0225 anti-mouse CD196 (CCR6), TotalSeq™-B0225 anti-mouse CD196 (CCR6), TotalSeq™-C0225 anti-mouse CD196 (CCR6), PE/Fire™ 640 anti-mouse CD196 (CCR6)

## Product Data



C57BL/6 splenocytes stained RA3-6B2 (B220) FITC and 29-2L17 PE

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587