

## Brilliant Violet 421™ anti-mouse CD317 (BST2, PDCA-1) Antibody

<b>Catalog# / Size</b>	127023 / 50 µg
<b>Clone</b>	927
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	BST2, tetherin, HM1.2 antigen, bone marrow stromal antigen 2, PDCA-1
<b>Isotype</b>	Rat IgG2b, κ
<b>Description</b>	CD317, known as BST2, tetherin, HM1.2 antigen, bone marrow stromal antigen 2, or PDCA-1, is type II transmembrane glycoprotein with a molecular mass of 29-33 kD. It is predominantly expressed on Type I IFN-producing cells (IPCs) in naïve mice, but is up-regulated on most cell types following stimulation with type I IFNs and IFN-gamma. It is highly expressed on terminally differentiated normal plasmacytoid dendritic cells and some tumor cells, such as multiple myeloma, renal cell carcinoma, and melanoma cells. BST2 is a recently identified, IFN-induced cellular response factor that blocks release of HIV-1 and other retroviruses from infected cells. BST2 has been found to be the natural ligand of ILT7 in human model.

### Product Details

---

<b>Verified Reactivity</b>	Mouse
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Rat
<b>Immunogen</b>	Mouse plasmacytoid dendritic cells (DCs)
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 421™ under optimal conditions.
<b>Concentration</b>	0.2 mg/ml
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a>
<b>Recommended Usage</b>	<p>Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a>. For flow cytometric staining, the suggested use of this reagent is ≤0.25 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.</p> <p>Brilliant Violet 421™ excites at 405 nm and emits at 421 nm. The standard bandpass filter 450/50 nm is recommended for detection. Brilliant Violet 421™ is a trademark of Sirigen Group Ltd.</p> <p><a href="#">Learn more about Brilliant Violet™.</a></p> <p>This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.</p>
<b>Excitation Laser</b>	Violet Laser (405 nm)
<b>Application Notes</b>	Additional reported applications (for the relevant formats) include: immunofluorescence microscopy, functional assay <sup>2</sup> , and depletion <sup>3,4</sup> . The Ultra-LEAF™ purified antibody (Endotoxin <0.01 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays.
<b>Application References</b>	1. Blasius AL, <i>et al.</i> 2006. <i>J. Immunol.</i> 177:3260.

(PubMed link indicates BioLegend citation)

1. Schliemann C, *et al.* 2010. *Blood* 115:736. (FA, IF)
2. Rajagopal D, *et al.* 2010. *Blood* 115:1949. (Depletion)
3. Moniz RJ, *et al.* 2010. *FEMS Immunol. Med. Microbiol.* 58:397. (Depletion)
4. Chen YL, *et al.* 2013. *J Exp Med.* 210:2515. [PubMed](#)

#### Product Citations

1. Akazawa S, *et al.* 2021. *Diabetologia.* 64:878. [PubMed](#)
2. Kalafati L, *et al.* 2020. *Cell.* 183:771. [PubMed](#)
3. Kunishita Y, *et al.* 2020. *Front Immunol.* 11:98. [PubMed](#)

#### RRID

AB\_2687109 (BioLegend Cat. No. 127023)


## Antigen Details

<b>Structure</b>	Type II transmembrane glycoprotein with a molecular mass of 29-33 kD.
<b>Distribution</b>	Expressed on type I IFN-producing cells, plasmacytoid dendritic cells, and neoplastic B cells, such as multiple myeloma.
<b>Function</b>	Recently identified antiviral protein that blocks the release of nascent retrovirus or other particles from infected cells.
<b>Cell Type</b>	Dendritic cells
<b>Biology Area</b>	Costimulatory Molecules, Immunology, Innate Immunity
<b>Molecular Family</b>	CD Molecules
<b>Antigen References</b>	<ol style="list-style-type: none"><li>1. Douglas JL. <i>et al.</i> 2009. <i>J Virol.</i> 83(16):7931</li><li>2. Cao W <i>et al.</i> 2009. <i>J. Exp. Med.</i> 206(7):1603</li><li>3. Neil SJ. <i>et al.</i> 2008. <i>Nature</i> 451:425</li></ol>
<b>Gene ID</b>	<a href="#">69550</a>

## Other Formats

Purified anti-mouse CD317 (BST2, PDCA-1), PE anti-mouse CD317 (BST2, PDCA-1), Alexa Fluor® 488 anti-mouse CD317 (BST2, PDCA-1), Alexa Fluor® 647 anti-mouse CD317 (BST2, PDCA-1), APC anti-mouse CD317 (BST2, PDCA-1), Pacific Blue™ anti-mouse CD317 (BST2, PDCA-1), Biotin anti-mouse CD317 (BST2, PDCA-1), FITC anti-mouse CD317 (BST2, PDCA-1), Brilliant Violet 650™ anti-mouse CD317 (BST2, PDCA-1), PerCP/Cyanine5.5 anti-mouse CD317 (BST2, PDCA-1), Brilliant Violet 421™ anti-mouse CD317 (BST2, PDCA-1), Brilliant Violet 605™ anti-mouse CD317 (BST2, PDCA-1), TotalSeq™-A0811 anti-mouse CD317 (BST2, PDCA-1), Ultra-LEAF™ Purified anti-mouse CD317 (BST2, PDCA-1), TotalSeq™-C0811 anti-mouse CD317 (BST2, PDCA-1), Alexa Fluor® 700 anti-mouse CD317 (BST2, PDCA-1), Brilliant Violet 711™ anti-mouse CD317 (BST2, PDCA-1), TotalSeq™-B0811 anti-mouse CD317 (BST2, PDCA-1) Antibody, Spark UV™ 387 anti-mouse CD317 (BST2, PDCA-1)

## Product Data



C57BL/6 splenocytes stained with anti-B220 FITC and 927 Brilliant Violet 421™ (top) or Rat IgG2b, κ Brilliant Violet 421™ isotype control (bottom).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587