

## Biotin anti-mouse IFNAR-1 Antibody

<b>Catalog# / Size</b>	127305 / 25 µg 127306 / 100 µg
<b>Clone</b>	MAR1-5A3
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	IFNAR1, IFN-αR1, IFN-α/β Receptor Subunit 1
<b>Isotype</b>	Mouse IgG1, κ
<b>Description</b>	IFNAR-1, the type I IFN receptor subunit 1, is coexpressed with IFNAR-2 on nearly all cells and make up the heterodimeric receptor complex that binds to all type I IFNs (IFN-α/β). Type I IFNs are a group of structurally and functionally related cytokines that have been shown to promote anti-viral, anti-microbial, anti-tumor, and autoimmune responses. Ligand binding to the IFN-α/β receptor complex leads to the tyrosine phosphorylation and activation of IFNAR-1-associated Tyk2 and IFNAR-2-associated Jak1 signal transductions.

### Product Details

---

<b>Verified Reactivity</b>	Mouse
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Mouse
<b>Immunogen</b>	Exogenously expressed murine IFNAR1 extracellular domain
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
<b>Preparation</b>	The antibody was purified by affinity chromatography, and conjugated with biotin under optimal conditions.
<b>Concentration</b>	0.5 mg/ml
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">FC - Quality tested</a> <a href="#">IP, WB, ELISA - Reported in the literature, not verified in house</a>
<b>Recommended Usage</b>	Each lot of this antibody is quality control tested by <a href="#">immunofluorescent staining with flow cytometric analysis</a> . For flow cytometric staining, the suggested use of this reagent is ≤1.0 µg per million cells in 100 µl volume. It is recommended that the reagent be titrated for optimal performance for each application.
<b>Application Notes</b>	Additional reported applications (for the relevant formats) include: Western blotting <sup>1,2</sup> , immunoprecipitation <sup>1</sup> , ELISA <sup>1</sup> , and blocking <sup>8,9</sup> . For <i>in vivo</i> studies or highly sensitive assays, we recommend Ultra-LEAF™ purified antibody (Cat. No. 127322) (Endotoxin <0.01 EU/µg).
<b>Application References</b>	<ol style="list-style-type: none"><li>1. Sheehan KC, <i>et al.</i> 2006. <i>J. Interferon Cytokine Res.</i> 26:804. (FC, Block, IP, WB, ELISA)</li><li>2. Dunn GP, <i>et al.</i> 2005. <i>Nat. Immunol.</i> 6:722. (FC, WB)</li><li>3. Miller JC, <i>et al.</i> 2008. <i>J. Immunol.</i> 181:8492. <a href="#">PubMed</a></li><li>4. Habjan M, <i>et al.</i> 2009. <i>J. Virol.</i> 83:4365. <a href="#">PubMed</a></li><li>5. Kelly-Scumpia KM, <i>et al.</i> 2010. <i>J. Exp. Med.</i> 207:319. <a href="#">PubMed</a></li><li>6. Swanson CL, <i>et al.</i> 2010. <i>J. Exp. Med.</i> 207:1485. <a href="#">PubMed</a></li><li>7. Marshall HD, <i>et al.</i> 2011. <i>J. Virol.</i> epub. <a href="#">PubMed</a></li><li>8. Swann JB, <i>et al.</i> 2007. <i>J. Immunol.</i> 178:7540. (Block)</li><li>9. Jones GW, <i>et al.</i> 2011. <i>FASEB J.</i> 25:409. (Block)</li><li>10. Mitzel DN, <i>et al.</i> 2014. <i>J. Immunol.</i> 192:4273. <a href="#">PubMed</a></li></ol>
<b>Product Citations</b>	<ol style="list-style-type: none"><li>1. Tu X, <i>et al.</i> 2022. <i>Nat Commun.</i> 13:6977. <a href="#">PubMed</a></li><li>2. Zhou Y, <i>et al.</i> 2020. <i>Immunity.</i> 52(2):357-373. <a href="#">PubMed</a></li></ol>

RRID

AB\_1134250 (BioLegend Cat. No. 127305)  
AB\_1134249 (BioLegend Cat. No. 127306)

## Antigen Details

---

**Distribution** IFNAR1 and IFNAR2 are coexpressed on nearly all cells.

**Ligand/Receptor** IFN- $\alpha/\beta$

**Antigen References**

1. Branca AA, *et al.* 1981. *Nature* 294:768.
2. Orchansky P, *et al.* 1984. *J. Interferon Res.* 4:275.
3. Hemmi S, *et al.* 1994. *Cell* 76:803.
4. Novick D, *et al.* 1994. *Cell* 77:391.

**Gene ID** [15975](#)

## Related Protocols

---

[Cell Surface Flow Cytometry Staining Protocol](#)


## Other Formats

---

Purified anti-mouse IFNAR-1, Biotin anti-mouse IFNAR-1, PE anti-mouse IFNAR-1, APC anti-mouse IFNAR-1, Ultra-LEAF™ Purified anti-mouse IFNAR-1, PE/Cyanine7 anti-mouse IFNAR-1

## Product Data

---



C57BL/6 mouse splenocytes stained with biotinylated MAR1-5A3, followed by Sav-PE

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587