

APC anti-mouse CD127 (IL-7R α) Antibody

Catalog# / Size	135011 / 25 μ g 135012 / 100 μ g
Clone	A7R34
Regulatory Status	RUO
Other Names	IL-7 receptor α chain, IL-7R α
Isotype	Rat IgG2a, κ
Description	CD127 is a 60-90 kD type I transmembrane glycoprotein also known as IL-7 receptor α chain or IL-7R α . It forms a heterodimer with the common γ chain (γ c or CD132) which is shared with the receptors for IL-2, IL-4, IL-9, IL-13, IL-15, and IL-21. CD127 is expressed on immature B cells through early pre-B stage, thymocytes (except CD4/CD8 double positive thymocytes), peripheral T cells, and bone marrow stromal cells. CD127 has been reported to be an useful marker for identifying memory and effector T cells. The ligation of IL-7 with its receptor is important for stimulation of mature and immature T cells as well as immature B cells proliferation and development.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Rat
Immunogen	IL-7R α -IgG1 fusion protein
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography, and conjugated with APC under optimal conditions.
Concentration	0.2 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤ 0.25 μ g per million cells in 100 μ l volume. It is recommended that the reagent be titrated for optimal performance for each application.
Excitation Laser	Red Laser (633 nm)
Application Notes	A7R34 is able to block clone SB/199 binding to IL-7R.
Application References	<ol style="list-style-type: none">1. Sudo T, <i>et al.</i> 1993. <i>P. Natl. Acad. Sci. USA</i> 90:9125.2. Hashi H, <i>et al.</i> 2001. <i>J. Immunol.</i> 166:3702.3. Taylor R, <i>et al.</i> 2007. <i>J. Immunol.</i> 178:5659.4. Mazzon C, <i>et al.</i> 2011. <i>Blood.</i> 118:2733. PubMed5. Jin J, <i>et al.</i> 2011. <i>J. Immunol.</i> doi:10.4049/jimmunol.1001238. PubMed

Product Citations

1. Sharma GP, *et al.* 2021. *PLoS One.* 16:e0259042. [PubMed](#)
2. Paprckova D, *et al.* 2022. *Front Immunol.* 13:1009198. [PubMed](#)
3. Misumi I *et al.* 2019. *Cell Rep.* 27(2):514-524 . [PubMed](#)
4. Mitchell JE, *et al.* 2021. *Cell Reports.* 35(2):108966. [PubMed](#)
5. Kurkewich J, *et al.* 2016. *PLoS One.* 11: 0161468. [PubMed](#)
6. Davidson S, *et al.* 2020. *Cell Reports.* 31(7):107628. [PubMed](#)
7. Ramos CV, *et al.* 2020. *Cell Reports.* 32(3):107910. [PubMed](#)

8. Pfenninger P, *et al.* 2022. *Front Immunol.* 13:777113. [PubMed](#)
9. Zhao H, *et al.* 2021. *Int J Nanomedicine.* 16:4913. [PubMed](#)
10. Nakajima T, *et al.* 2021. *J Exp Med.* 218:. [PubMed](#)
11. Volberding PJ, *et al.* 2021. *Cell Reports.* 35(8):109160. [PubMed](#)
12. Zhang C, *et al.* 2020. *Cell Rep.* 32:108206. [PubMed](#)
13. Zaro BW, *et al.* 2020. *eLife.* 9:00. [PubMed](#)
14. Liu W, *et al.* 2019. *Epigenetics.* 1.192361111. [PubMed](#)
15. Ding P, *et al.* 2022. *Bone Res.* 10:42. [PubMed](#)
16. Galle-Treger L, *et al.* 2016. *Nat Commun.* 7:13202. [PubMed](#)
17. Xu X, *et al.* 2018. *J Dermatol Sci.* 91:134. [PubMed](#)
18. Zeis P, *et al.* 2020. *Immunity.* 53:775. [PubMed](#)
19. Hu Z, *et al.* 2020. *PLoS One.* 15:e0228339. [PubMed](#)
20. Daneshmandi S, *et al.* 2021. *Cell Reports.* 34(10):108831. [PubMed](#)
21. Bajaan S, *et al.* 2022. *iScience.* 25:103732. [PubMed](#)
22. Panagi M, *et al.* 2020. *Theranostics.* 10:1910. [PubMed](#)
23. Fujimoto M, *et al.* 2022. *Nat Commun.* 13:5408. [PubMed](#)
24. Hackstein CP, *et al.* 2022. *Nat Commun.* 13:7472. [PubMed](#)
25. Singhal P, *et al.* 2016. *Proc Natl Acad Sci U S A.* 113: 122 - 127. [PubMed](#)
26. Rosnaghi S, *et al.* 2016. *PLoS Biol.* 14: 1002562. [PubMed](#)
27. Ding Z, *et al.* 2017. *Sci Rep.* 10.1038/s41598-017-12488-z [PubMed](#)

RRID AB_1937217 (BioLegend Cat. No. 135011)
 AB_1937216 (BioLegend Cat. No. 135012)

Antigen Details

Structure	Type I transmembrane glycoprotein, associate with CD132, 60-90 kD
Distribution	Immature B cells through early pre-B stage, thymocytes (except CD4/CD8 double positive thymocytes), peripheral T cells, bone marrow stromal cells
Function	T cell and immature B cell proliferation and development
Ligand/Receptor	IL-7
Cell Type	B cells, T cells, Thymocytes
Biology Area	Immunology
Molecular Family	CD Molecules, Cytokine/Chemokine Receptors
Antigen References	<ol style="list-style-type: none"> 1. Sudo T, <i>et al.</i> 1993. <i>P. Natl. Acad. Sci. USA</i> 90:9125. 2. Okuno Y, <i>et al.</i> 2001. <i>P. Natl. Acad. Sci. USA</i> 99:6246. 3. Pillai M, <i>et al.</i> 2004. <i>Leukemia Lymphoma</i> 45:2403.
Gene ID	16197

Related Protocols


[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-mouse CD127 (IL-7R α), FITC anti-mouse CD127 (IL-7R α), PE anti-mouse CD127 (IL-7R α), APC anti-mouse CD127 (IL-7R α), PE/Cyanine7 anti-mouse CD127 (IL-7R α), PE/Cyanine5 anti-mouse CD127 (IL-7R α), Alexa Fluor® 488 anti-mouse CD127 (IL-7R α), Alexa Fluor® 647 anti-mouse CD127 (IL-7R α), PerCP/Cyanine5.5 anti-mouse CD127 (IL-7R α), Biotin anti-mouse CD127 (IL-7R α), Brilliant Violet 421™ anti-mouse CD127 (IL-7R α), Brilliant Violet 605™ anti-mouse CD127 (IL-7R α), Purified anti-mouse CD127 (IL-7R α) (Maxpar® Ready), PE/Dazzle™ 594 anti-mouse CD127 (IL-7R α), Brilliant Violet 510™ anti-mouse CD127 (IL-7R α), Brilliant Violet 711™ anti-mouse CD127 (IL-7R α), Brilliant Violet 785™ anti-mouse CD127 (IL-7R α), APC/Cyanine7 anti-mouse CD127 (IL-7R α), Brilliant Violet 650™ anti-mouse CD127 (IL-7R α), TotalSeq™-A0198 anti-mouse CD127 (IL-7R α), TotalSeq™-C0198 anti-mouse CD127 (IL-7R α), Ultra-LEAF™ Purified anti-mouse CD127 (IL-7R α), TotalSeq™-B0198 anti-mouse CD127 (IL-7R α)

Product Data

C57BL/6 splenocytes stained with CD3 (145-2C11) PE and A7R34 APC (top) or rat IgG2a, κ APC isotype control (bottom)



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587